




# DATEC-CONTROL

## Zapouzdření do ruky pro velké displeje

Tvar kulaté hlavy řady DATEC-CONTROL umožňuje instalaci větších grafických displejů pro větší uživatelský komfort.

- Instalace standardizovaných grafických displejů
- Obzvláště uživatelsky příjemný díky úzké rukojeti
- Vysoký stupeň ochrany: IP 65 (XS, S) nebo IP 54 (M, L) při použití těsnících sad a ve spojení s panely displeje
- 4 velikosti, každé 2 barvy
- **DATEC-CONTROL XS**  
s / bez přihrádky pro baterie pro šrouby 2 x / 3 x AA, víko prostoru pro baterii volitelně uzamykatelné a
- **DATEC-CONTROL S**  
bez / s přihrádkou pro baterie pro 4 x AA nebo 1 x 9 V přišroubované víko prostoru pro baterii volitelně uzamykatelné a / nebo šroubitelné; Základní jako tabulková verze
- **DATEC-CONTROL M, L**  
s / bez odnímatelného prostoru pro baterie, až 5 x AA, zámky; Prostor pro karty PCMCIA; Nabíjecí zásuvka s bateriovým prostorem jako stolní / stěnová verze
- Jednoduchý datový- a proudový přenos, základna a kontakty jako příslušenství
- Sada nástěnných držáků pro bezpečné uložení (příslušenství)
- Chrániče chrání nárazy a chrání povrchy (příslušenství), velikosti M a L s přídatným ramenním popruhem
- Vestavěný ovládací panel pro ochranu membránové klávesnice
- Upevňovací domek pro desky a komponenty



# DATEC-CONTROL

## Aplikace a příklady

Sběr a přenos dat přes modem, ISDN nebo IR technologie, technologie měření a řízení, digitální řídicí technologie, strojírenství, smart factory, industry 4.0, atd.



BIOFIT test unit for eye frequency



Hand-held measuring device for soil and water



Mobile balance display unit in a football stadium



Mobile HMI Terminal



Modular measuring system for universal use



Pretension tester for V-belts and toothed belts

## Přizpůsobení možností

Co ještě potřebujete pro svůj vlastní velmi osobní produkt? Můžeme dodat zapouzdření a ladicí knoflíky se všemi nezbytnými úpravami pro montáž vašich elektronických součástek. Možnosti přizpůsobení pro Datec-Control



Mechanické  
opracování



Lakování



Tisk



Laserové značení



Dekorační fólie



Zakázkový materiál



Stínění EMC



Kompletace / Montáž

# DATEC-CONTROL

## Vyberte verze



**A9076107**  
DATEC-CONTROL XS, Vers. I  
ABS (UL 94 HB)  
off-white RAL 9002  
200x94x39,5mm  
IP 65 opt.



**A9076109**  
DATEC-CONTROL XS, Vers. I  
ABS (UL 94 HB)  
black RAL 9005  
200x94x39,5mm  
IP 65 opt.



**A9076157**  
SET: DATEC-CONTROL XS,  
Vers. I, station..  
ABS (UL 94 HB)  
off-white RAL 9002  
200x94mm  
IP 65 opt.



**A9076159**  
SET: DATEC-CONTROL XS,  
Vers. I, station..  
ABS (UL 94 HB)  
black RAL 9005  
200x94mm  
IP 65 opt.



**A9076207**  
DATEC-CONTROL XS, Vers. II  
ABS (UL 94 HB)  
off-white RAL 9002  
200x94x39,5mm  
IP 65 opt.




**A9076209**  
DATEC-CONTROL XS, Vers. II  
ABS (UL 94 HB)  
black RAL 9005  
200x94x40mm  
IP 65 opt.



**A9076257**  
SET: DATEC-CONTROL XS,  
Vers. II, station..  
ABS (UL 94 HB)  
off-white RAL 9002  
200x94mm  
IP 65 opt.



**A9076259**  
SET: DATEC-CONTROL XS,  
Vers. II, station..  
ABS (UL 94 HB)  
black RAL 9005  
200x94mm  
IP 65 opt.



**A9077107**  
DATEC-CONTROL S, Vers. I  
ABS (UL 94 HB)  
off-white RAL 9002  
228x117x47mm  
IP 65 opt.



**A9077109**  
DATEC-CONTROL S, Vers. I  
ABS (UL 94 HB)  
black RAL 9005  
228x117x47mm  
IP 65 opt.



**A9077157**  
SET: DATEC-CONTROL S, Vers.  
I, station..  
ABS (UL 94 HB)  
off-white RAL 9002  
228x117mm  
IP 65 opt.



**A9077159**  
SET: DATEC-CONTROL S, Vers.  
I, station..  
ABS (UL 94 HB)  
black RAL 9005  
228x117mm  
IP 65 opt.

# DATEC-CONTROL



**A9077207**  
DATEC-CONTROL S, Vers. II  
ABS (UL 94 HB)  
off-white RAL 9002  
228x117x47mm  
IP 65 opt.



**A9077209**  
DATEC-CONTROL S, Vers. II  
ABS (UL 94 HB)  
black RAL 9005  
228x117x47mm  
IP 65 opt.



**A9077257**  
SET: DATEC-CONTROL S, Vers.  
II, station..  
ABS (UL 94 HB)  
off-white RAL 9002  
228x117mm  
IP 65 opt.




**A9077259**  
SET: DATEC-CONTROL S, Vers.  
II, station..  
ABS (UL 94 HB)  
black RAL 9005  
228x117mm  
IP 65 opt.



**A9078107**  
DATEC-CONTROL M, Vers. I  
ABS (UL 94 HB)  
off-white RAL 9002  
243x130x60mm  
IP 54 opt.



**A9078109**  
DATEC-CONTROL M, Vers. I  
ABS (UL 94 HB)  
black RAL 9005  
243x130x60mm  
IP 54 opt.



**A9078207**  
DATEC-CONTROL M, Vers. II  
ABS (UL 94 HB)  
off-white RAL 9002  
243x130x60mm  
IP 54 opt.




**A9078209**  
DATEC-CONTROL M, Vers. II  
ABS (UL 94 HB)  
black RAL 9005  
243x130x60mm  
IP 54 opt.



**A9079107**  
DATEC-CONTROL L, Vers. I  
ABS (UL 94 HB)  
off-white RAL 9002  
266x144x60mm  
IP 54 opt.



**A9079109**  
DATEC-CONTROL L, Vers. I  
ABS (UL 94 HB)  
black RAL 9005  
266x144x60mm  
IP 54 opt.



**A9079207**  
DATEC-CONTROL L, Vers. II  
ABS (UL 94 HB)  
off-white RAL 9002  
266x144x60mm  
IP 54 opt.



**A9079209**  
DATEC-CONTROL L, Vers. II  
ABS (UL 94 HB)  
black RAL 9005  
266x144x60mm  
IP 54 opt.




**A9176128**  
Battery compartment XS, 2 x AA  
or 1 x 9V  
ABS (UL 94 HB)



**A9176137**  
Station XS  
ABS (UL 94 HB)  
off-white RAL 9002



**A9176139**  
Station XS  
ABS (UL 94 HB)  
black RAL 9005



**A9176158**  
Battery compartment XS, 3 x AA  
ABS (UL 94 HB)  
off-white RAL 9002


# DATEC-CONTROL




**A9177137**  
Station S  
ABS (UL 94 HB)  
off-white RAL 9002




**A9177139**  
Station S  
ABS (UL 94 HB)  
black RAL 9005



**A9177310**  
Battery compartment, 1 x 9 V  
ABS (UL 94 HB)



**A9178137**  
Station, Vers. I  
ABS (UL 94 HB)  
off-white RAL 9002



**A9178139**  
Station, Vers. I  
ABS (UL 94 HB)  
black RAL 9005




**A9178167**  
Station, Vers. II  
ABS (UL 94 HB)  
off-white RAL 9002



**A9178169**  
Station, Vers. II  
ABS (UL 94 HB)  
black RAL 9005


## Accessory "battery"




**A9160003**  
Plug-in contact, 1 x 9 V (PP3)




**A9174006**  
Set of battery clips, 1 x 9 V  
Steel  
tin-plated



**A9176007**  
Set of battery clips, 2 x AA  
Steel  
nickel-plated



**A9176008**  
Set of battery clips, 3 x AA  
Steel  
nickel-plated




**A9176128**  
Battery compartment XS, 2 x AA  
or 1 x 9 V  
ABS (UL 94 HB)



**A9176158**  
Battery compartment XS, 3 x AA  
ABS (UL 94 HB)  
off-white RAL 9002




**A9177310**  
Battery compartment, 1 x 9 V  
ABS (UL 94 HB)




**A9178118**  
Battery compartment holder  
PC  
volcano


# DATEC-CONTROL




**A9178128**  
Battery compartment, M/L, 4 x  
AA  
PC  
volcano




**A9178158**  
Battery compartment, M/L, 5 x  
AA  
PC  
volcano



**A9178178**  
End plate for electronic area,  
Vers. I  
PC  
volcano




**A9178188**  
End plate for electronic area,  
Vers. II  
PC  
volcano



**A9178198**  
End plate for electronic area,  
Vers. III  
PC  
volcano



**A9250250**  
Battery spacer  
PE foam  
50x25x4mm



**A9345217**  
Set of battery compartment, 4 x  
AA  
ABS (UL 94 HB)  
off-white RAL 9002

## Accessory "station"



**A9176137**  
Station XS  
ABS (UL 94 HB)  
off-white RAL 9002




**A9176139**  
Station XS  
ABS (UL 94 HB)  
black RAL 9005




**A9177137**  
Station S  
ABS (UL 94 HB)  
off-white RAL 9002




**A9177139**  
Station S  
ABS (UL 94 HB)  
black RAL 9005




**A9178007**  
Contacts, male  
gold-plated



**A9178118**  
Battery compartment holder  
PC  
volcano




**A9178128**  
Battery compartment, M/L, 4 x  
AA  
PC  
volcano




**A9178137**  
Station, Vers. I  
ABS (UL 94 HB)  
off-white RAL 9002

# DATEC-CONTROL



**A9178139**  
Station, Vers. I  
ABS (UL 94 HB)  
black RAL 9005



**A9178158**  
Battery compartment, M/L, 5 x  
AA  
PC  
volcano



**A9178167**  
Station, Vers. II  
ABS (UL 94 HB)  
off-white RAL 9002



**A9178169**  
Station, Vers. II  
ABS (UL 94 HB)  
black RAL 9005




**A9199005**  
Strain relief  
PA 6  
volcano

## Accessory "protection"




**A9176001**  
Display window XS  
Acrylglas  
clear



**A9176006**  
Sealing kit XS



**A9176108**  
Protector XS  
SBS (TPE)  
volcano




**A9177001**  
Display window S  
Acrylglas  
clear




**A9177006**  
Sealing kit S



**A9177008**  
Protector S  
SBS (TPE)  
volcano



**A9178001**  
Display window M  
Acrylglas  
clear



**A9178006**  
Sealing kit M

# DATEC-CONTROL



**A9178108**  
 Protector M  
 SBS (TPE)  
 volcano



**A9178208**  
 Protector M  
 SBS (TPE)  
 volcano



**A9179001**  
 Display window L  
 Acrylglas  
 clear



**A9179006**  
 Sealing kit L



**A9179108**  
 Protector L  
 SBS (TPE)  
 volcano



**A9179208**  
 Protector L  
 SEBS (TPE)  
 volcano



**A9199005**  
 Strain relief  
 PA 6  
 volcano

## Accessory "wall/holder"



**A9226117**  
 Wall suspension element  
 ABS (UL 94 HB)  
 off-white RAL 9002



**A9226119**  
 Wall suspension element  
 ABS (UL 94 HB)  
 black RAL 9005



**A9226227**  
 Wall suspension element  
 ABS (UL 94 HB)  
 off-white RAL 9002



**A9226229**  
 Wall suspension element  
 ABS (UL 94 HB)  
 black RAL 9005



**A9226337**  
 Wall suspension element  
 ABS (UL 94 HB)  
 off-white RAL 9002



**A9226339**  
 Wall suspension element  
 ABS (UL 94 HB)  
 black RAL 9005


# DATEC-CONTROL

## Accessory "carrying"



A910002  
Ring eyelet  
PA 6  
volcano

## Accessory



A9178007  
Contacts, male  
gold-plated



A9178008  
Contacts, female  
gold-plated

Subject to technical modification without notice. © by OKW Gehäusesysteme, Buchen/Germany.