

CARRYTEC

Plastové pouzdro s funkčním madlem

CARRYTEC nabízí funkční rukojeť pro širokou škálu úkolů a situací ve vnitřním i venkovním prostředí.

- Možnost nošení nad těžištěm skříně
- CARRYTEC M v ploché verzi pro instalaci tabletu ap.
- Zadní montáž na stativ nebo nosný ramenní systém; rychlé polohování / vyrovnání viditelného a obslužného povrchu, čisté vedení kabelů
- Obzvláště velký povrch použitelný pro uživatelské rozhraní (S: 8,4" / 21 cm, M: 10,4" / 26 cm, L: 13,4" / 34 cm)
- Velká zástavbová hloubka a dostatek místa pro rozhraní při tenkém vzhledem
- Chráněná instalace rozhraní
- Bezpečný úložný prostor na stolní konzoli a / nebo na stěnu; jednoduché údaje a nabíjecí proudový přenos; Kontakty jako příslušenství (kromě skříněk)
- Upevňovací klip pro zavěšení na kruhové trubky a kolejnice DIN EN ISO 19054
- Pouzdro v nárazuvzdorném plastu odolává těžkému použití
- S ochrannou těsněním IP 54 (příslušenství)
- Vestavěný ovládací panel pro ochranu membránové klávesnice
- Pouzdra se snadno čistí
- Volitelný prostor pro baterii 5 x AA (vyžaduje se zpracování)
- Ochranné pouzdra pro skladování přístrojů, snímačů, příslušenství atd. (velikosti S a M)
- Upevňovací sloupky pro desky a komponenty



CARRYTEC

Aplikace a příklady

Univerzální použití: příruční - stůl - stěna - kolejnice - kulatá trubka - stativ - podpěrné rameno. V závislosti na použití (vnitřní / venkovní) jsou skříně k dispozici v různých materiálech, např. v plastu odolném proti nárazu, různých barvách a jejich kombinacích.



Air velocity meter



Battery filler for aviation batteries



Camera inspection



CNC Machine Monitoring



Diagnostic camera for illustrating the machine status



Hand held HD-camera and monitor system



Indoor Farming Monitoring



Mobile radio remote control unit for orbital welding system



Mobile testing device for cost-effective fault analysis



Monitoring system for cleaning nozzles



Multi-functional measuring instrument



Patient Simulation System



Portable receiver

Přizpůsobení možností

Co ještě potřebujete pro svůj vlastní velmi osobní produkt? Můžeme dodat zapouzdření a ladicí knoflíky se všemi nezbytnými úpravami pro montáž vašich elektronických součástek.

Možnosti přizpůsobení pro Carrytec

CARRYTEC



Mechanické
opracování



Lakování



Tisk



Laserové značení



Dekorační fólie



Stínění EMC



Kompletace / Montáž

Vyberte verze



B4208107
CARRYTEC S
ABS (UL 94 HB)
off-white RAL 9002
222x205x80mm
IP 54 opt.



B4208208
CARRYTEC S
ASA+PC (UL 94 V-0)
lava
222x205x80mm
IP 54 opt.



B4210107
CARRYTEC M
ABS (UL 94 HB)
off-white RAL 9002
270x247x91mm
IP 54 opt.



B4210127
CARRYTEC M slim version
ABS (UL 94 HB)
off-white RAL 9002
270x247x42mm
IP 54 opt.



B4210208
CARRYTEC M
ASA+PC (UL 94 V-0)
lava
270x247x91mm
IP 54 opt.



B4210228
CARRYTEC M slim version
ASA+PC (UL 94 V-0)
lava
270x247x42mm
IP 54 opt.



B4213107
CARRYTEC L
ABS (UL 94 HB)
off-white RAL 9002
348x303x117mm
IP 54 opt.



B4213208
CARRYTEC L
ASA+PC (UL 94 V-0)
lava
348x303x117mm
IP 54 opt.

CARRYTEC



B4308117
Station S/M
ABS (UL 94 HB)
off-white RAL 9002



B4308218
Station S/M
ASA+PC (UL 94 V-0)
lava



B4308600
Carrying case S, right-hand side
grey
82x180x65mm



B4308610
Carrying case S, left-hand side
grey
82x180x65mm



B4310600
Carrying case M, right-hand side
grey
99x214x64mm



B4310610
Carrying case M, left-hand side
grey
99x214x64mm



B4313117
Station L
ABS (UL 94 HB)
off-white RAL 9002



B4313218
Station L
ASA+PC (UL 94 V-0)
lava

Accessory "battery"



A9338117
Battery compartment kit, 5 x AA
ABS (UL 94 HB)
off-white RAL 9002
93x98mm
IP 54



A9338218
Battery compartment kit, 5 x AA
ASA+PC (UL 94 V-0)
lava
93x98mm
IP 54

CARRYTEC

Accessory "station"




A9178007
Contacts, male
gold-plated



A9193044
Contacting kit, 6-pin
ABS (UL 94 HB)
black RAL 9005



B4308117
Station S/M
ABS (UL 94 HB)
off-white RAL 9002



B4308127
Base plate for station
ABS (UL 94 HB)
off-white RAL 9002



B4308218
Station S/M
ASA+PC (UL 94 V-0)
lava



B4308228
Base plate for station
ASA+PC (UL 94 V-0)
lava



B4313117
Station L
ABS (UL 94 HB)
off-white RAL 9002



B4313147
Adapter for Station L
ABS (UL 94 HB)
off-white RAL 9002



B4313218
Station L
ASA+PC (UL 94 V-0)
lava



B4313248
Adapter for Station L
ASA+PC (UL 94 V-0)
lava


Accessory "protection"



B4308001
Sealing S




B4310001
Sealing M




B4313001
Sealing L

CARRYTEC

Accessory "wall/holder"



B4308237
Holding clamps
PA 6
off-white RAL 9002



B4308238
Holding clamps
PA 6
lava

Accessory "carrying"



B4308600
Carrying case S, right-hand side
grey
82x180x65mm



B4308610
Carrying case S, left-hand side
grey
82x180x65mm



B4308650
Shoulder strap
grey
1400mm



B4310600
Carrying case M, right-hand side
grey
99x214x64mm



B4310610
Carrying case M, left-hand side
grey
99x214x64mm

Accessory "screws"



A0325080
Self-tapping screws 2.5 x 8 mm
(PZ1)

CARRYTEC

Accessory




A9178007
Contacts, male
gold-plated



A9178008
Contacts, female
gold-plated



A9193042
Mounting plates for contacts
ABS (UL 94 HB)
black RAL 9005



A9193044
Contacting kit, 6-pin
ABS (UL 94 HB)
black RAL 9005

Subject to technical modification without notice. © by OKW Gehäusesysteme, Buchen/Germany.