

# CARRYTEC

## Plastové pouzdro s funkčním madlem

CARRYTEC nabízí funkční rukojeť pro širokou škálu úkolů a situací ve vnitřním i venkovním prostředí.

- Možnost nošení nad těžištěm skříně
- CARRYTEC M v ploché verzi pro instalaci tabletu ap.
- Zadní montáž na stativ nebo nosný ramenní systém; rychlé polohování / vyrovnání viditelného a obslužného povrchu, čisté vedení kabelů
- Obzvláště velký povrch použitelný pro uživatelské rozhraní (S: 8,4" / 21 cm, M: 10,4" / 26 cm, L: 13,4" / 34 cm)
- Velká zástavbová hloubka a dostatek místa pro rozhraní při tenkém vzhledem
- Chráněná instalace rozhraní
- Bezpečný úložný prostor na stolní konzoli a / nebo na stěnu; jednoduché údaje a nabíjecí proudový přenos; Kontakty jako příslušenství (kromě skříněk)
- Upevňovací klip pro zavěšení na kruhové trubky a kolejnice DIN EN ISO 19054
- Pouzdro v nárazuvzdorném plastu odolává těžkému použití
- S ochrannou těsněním IP 54 (příslušenství)
- Vestavěný ovládací panel pro ochranu membránové klávesnice
- Pouzdra se snadno čistí
- Volitelný prostor pro baterii 5 x AA (vyžaduje se zpracování)
- Ochranné pouzdra pro skladování přístrojů, snímačů, příslušenství atd. (velikosti S a M)
- Upevňovací sloupky pro desky a komponenty



# CARRYTEC

## Aplikace a příklady

Univerzální použití: příruční - stůl - stěna - kolejnice - kulatá trubka - stativ - podpěrné rameno. V závislosti na použití (vnitřní / venkovní) jsou skříně k dispozici v různých materiálech, např. v plastu odolném proti nárazu, různých barvách a jejich kombinacích.



Air velocity meter



Battery filler for aviation batteries



Camera inspection



CNC Machine Monitoring



Diagnostic camera for illustrating the machine status



Hand held HD-camera and monitor system



Indoor Farming Monitoring



Mobile radio remote control unit for orbital welding system



Mobile testing device for cost-effective fault analysis



Monitoring system for cleaning nozzles



Multi-functional measuring instrument



Patient Simulation System



Portable receiver

## Přizpůsobení možností

Co ještě potřebujete pro svůj vlastní velmi osobní produkt? Můžeme dodat zapouzdření a ladicí knoflíky se všemi nezbytnými úpravami pro montáž vašich elektronických součástek.

Možnosti přizpůsobení pro Carrytec

# CARRYTEC



Mechanické  
opracování



Lakování



Tisk



Laserové značení



Dekorační fólie



Stínění EMC



Kompletace / Montáž

## Vyberte verze



**B4208107**  
CARRYTEC S  
ABS (UL 94 HB)  
off-white RAL 9002  
222x205x80mm  
IP 54 opt.



**B4208208**  
CARRYTEC S  
ASA+PC (UL 94 V-0)  
lava  
222x205x80mm  
IP 54 opt.



**B4210107**  
CARRYTEC M  
ABS (UL 94 HB)  
off-white RAL 9002  
270x247x91mm  
IP 54 opt.



**B4210127**  
CARRYTEC M slim version  
ABS (UL 94 HB)  
off-white RAL 9002  
270x247x42mm  
IP 54 opt.



**B4210208**  
CARRYTEC M  
ASA+PC (UL 94 V-0)  
lava  
270x247x91mm  
IP 54 opt.



**B4210228**  
CARRYTEC M slim version  
ASA+PC (UL 94 V-0)  
lava  
270x247x42mm  
IP 54 opt.



**B4213107**  
CARRYTEC L  
ABS (UL 94 HB)  
off-white RAL 9002  
348x303x117mm  
IP 54 opt.



**B4213208**  
CARRYTEC L  
ASA+PC (UL 94 V-0)  
lava  
348x303x117mm  
IP 54 opt.

# CARRYTEC



**B4308117**  
Station S/M  
ABS (UL 94 HB)  
off-white RAL 9002



**B4308218**  
Station S/M  
ASA+PC (UL 94 V-0)  
lava



**B4308600**  
Carrying case S, right-hand side  
grey  
82x180x65mm



**B4308610**  
Carrying case S, left-hand side  
grey  
82x180x65mm



**B4310600**  
Carrying case M, right-hand side  
grey  
99x214x64mm



**B4310610**  
Carrying case M, left-hand side  
grey  
99x214x64mm



**B4313117**  
Station L  
ABS (UL 94 HB)  
off-white RAL 9002



**B4313218**  
Station L  
ASA+PC (UL 94 V-0)  
lava

## Accessory "battery"




**A9338117**  
Battery compartment kit, 5 x AA  
ABS (UL 94 HB)  
off-white RAL 9002  
93x98mm  
IP 54




**A9338218**  
Battery compartment kit, 5 x AA  
ASA+PC (UL 94 V-0)  
lava  
93x98mm  
IP 54

# CARRYTEC

## Accessory "station"



**A9178007**  
Contacts, male  
gold-plated



**A9193044**  
Contacting kit, 6-pin  
ABS (UL 94 HB)  
black RAL 9005




**B4308117**  
Station S/M  
ABS (UL 94 HB)  
off-white RAL 9002



**B4308127**  
Base plate for station  
ABS (UL 94 HB)  
off-white RAL 9002



**B4308218**  
Station S/M  
ASA+PC (UL 94 V-0)  
lava



**B4308228**  
Base plate for station  
ASA+PC (UL 94 V-0)  
lava



**B4313117**  
Station L  
ABS (UL 94 HB)  
off-white RAL 9002



**B4313147**  
Adapter for Station L  
ABS (UL 94 HB)  
off-white RAL 9002




**B4313218**  
Station L  
ASA+PC (UL 94 V-0)  
lava




**B4313248**  
Adapter for Station L  
ASA+PC (UL 94 V-0)  
lava


## Accessory "protection"



**B4308001**  
Sealing S




**B4310001**  
Sealing M




**B4313001**  
Sealing L

# CARRYTEC

## Accessory "wall/holder"



**B4308237**  
Holding clamps  
PA 6  
off-white RAL 9002



**B4308238**  
Holding clamps  
PA 6  
lava

## Accessory "carrying"



**B4308600**  
Carrying case S, right-hand side  
grey  
82x180x65mm



**B4308610**  
Carrying case S, left-hand side  
grey  
82x180x65mm



**B4308650**  
Shoulder strap  
grey  
1400mm



**B4310600**  
Carrying case M, right-hand side  
grey  
99x214x64mm



**B4310610**  
Carrying case M, left-hand side  
grey  
99x214x64mm

## Accessory "screws"




**A0325080**  
Self-tapping screws 2.5 x 8 mm  
(PZ1)

# CARRYTEC

## Accessory




**A9178007**  
Contacts, male  
gold-plated



**A9178008**  
Contacts, female  
gold-plated



**A9193042**  
Mounting plates for contacts  
ABS (UL 94 HB)  
black RAL 9005



**A9193044**  
Contacting kit, 6-pin  
ABS (UL 94 HB)  
black RAL 9005

Subject to technical modification without notice. © by OKW Gehäusesysteme, Buchen/Germany.