

DATEC-CONTROL

Caja de mano para displays de gran tamaño

Las cajas ergonómicas DATEC-CONTROL tiene una amplia sección frontal que facilita la incorporación de módulos displays más grandes y con más capacidad gráfica para mayor comodidad del usuario.

- Incorporación de visores gráficos y LCDs estandarizados.
- Especialmente fácil de usar gracias a la empuñadura estrecha.
- Elevada categoría de protección: IP 65 (XS, S) o IP 54 (M, L) al utilizar los kits de juntas de sellado junto con los protectores de pantalla.
- 4 tamaños, cada uno en 2 colores:
- **DATEC-CONTROL XS**
con/sin compartimiento para pilas atornillado 2 x AA / 3 x AA / 1 x 9 V; tapa del compartimiento para pilas enclaustrable o atornillable de forma opcional; base para aplicaciones de sobremesa.
- **DATEC-CONTROL S**
con/sin compartimiento para pilas atornillado 4 x AA / 1 x 9 V; tapa del compartimiento para pilas enclaustrable o atornillable de forma opcional; base para aplicaciones de sobremesa.
- **DATEC-CONTROL M, L**
con/sin compartimiento para pilas intercambiable de hasta 5 x AA; espacio para tarjetas PCMCIA; base para sobremesa o montaje a pared con toma de carga y/o transmisión de datos.
- Transmisión de datos y recarga sencilla, base y contactos disponibles como accesorios.
- Juego de soporte de pared para almacenamiento seguro (accesorio).
- Los protectores absorben los golpes y protegen las superficies (accesorio); tamaños M y L con bandolera adicional.
- Panel de control rebajado para proteger el teclado de membrana.
- Cabezales de fijación para placas de circuito impreso y piezas de montaje.



DATEC-CONTROL

Aplicaciones

Recopilación y transmisión móvil de datos a través de módem, ISDN o infrarrojos, tecnologías de medición y regulación, tecnologías de control digital, construcción de maquinaria e instalaciones, smart factory, industria 4.0, ecc.



BIOFIT test unit for eye frequency



Hand-held measuring device for soil and water



Mobile balance display unit in a football stadium



Mobile HMI Terminal



Modular measuring system for universal use



Pretension tester for V-belts and toothed belts

Modificaciones específicas del cliente

¿Qué necesita en su producto personalizado? En caso necesario, le suministramos las cajas y botones giratorios listas para el montaje con todas las modificaciones y acabados precisos.

Opciones de productos para Datec-Control



Mecanizado



Lacado



Impresión



Inscripción láser



Láminas decorativas



Materiales especiales



Compatibilidad electromagnética



Confección y montaje

DATEC-CONTROL

Versiones



A9076107
DATEC-CONTROL XS, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
200x94x39,5mm
IP 65 opt.



A9076109
DATEC-CONTROL XS, Vers. I
ABS (UL 94 HB)
black RAL 9005
200x94x39,5mm
IP 65 opt.



A9076157
SET: DATEC-CONTROL XS,
Vers. I, station..
ABS (UL 94 HB)
off-white RAL 9002
200x94mm
IP 65 opt.



A9076159
SET: DATEC-CONTROL XS,
Vers. I, station..
ABS (UL 94 HB)
black RAL 9005
200x94mm
IP 65 opt.



A9076207
DATEC-CONTROL XS, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
200x94x39,5mm
IP 65 opt.



A9076209
DATEC-CONTROL XS, Vers. II
ABS (UL 94 HB)
black RAL 9005
200x94x40mm
IP 65 opt.



A9076257
SET: DATEC-CONTROL XS,
Vers. II, station..
ABS (UL 94 HB)
off-white RAL 9002
200x94mm
IP 65 opt.



A9076259
SET: DATEC-CONTROL XS,
Vers. II, station..
ABS (UL 94 HB)
black RAL 9005
200x94mm
IP 65 opt.



A9077107
DATEC-CONTROL S, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
228x117x47mm
IP 65 opt.



A9077109
DATEC-CONTROL S, Vers. I
ABS (UL 94 HB)
black RAL 9005
228x117x47mm
IP 65 opt.



A9077157
SET: DATEC-CONTROL S, Vers.
I, station..
ABS (UL 94 HB)
off-white RAL 9002
228x117mm
IP 65 opt.



A9077159
SET: DATEC-CONTROL S, Vers.
I, station..
ABS (UL 94 HB)
black RAL 9005
228x117mm
IP 65 opt.

DATEC-CONTROL



A9077207
DATEC-CONTROL S, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
228x117x47mm
IP 65 opt.



A9077209
DATEC-CONTROL S, Vers. II
ABS (UL 94 HB)
black RAL 9005
228x117x47mm
IP 65 opt.



A9077257
SET: DATEC-CONTROL S, Vers. II, station..
ABS (UL 94 HB)
off-white RAL 9002
228x117mm
IP 65 opt.



A9077259
SET: DATEC-CONTROL S, Vers. II, station..
ABS (UL 94 HB)
black RAL 9005
228x117mm
IP 65 opt.



A9078107
DATEC-CONTROL M, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
243x130x60mm
IP 54 opt.



A9078109
DATEC-CONTROL M, Vers. I
ABS (UL 94 HB)
black RAL 9005
243x130x60mm
IP 54 opt.



A9078207
DATEC-CONTROL M, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
243x130x60mm
IP 54 opt.



A9078209
DATEC-CONTROL M, Vers. II
ABS (UL 94 HB)
black RAL 9005
243x130x60mm
IP 54 opt.



A9079107
DATEC-CONTROL L, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
266x144x60mm
IP 54 opt.




A9079109
DATEC-CONTROL L, Vers. I
ABS (UL 94 HB)
black RAL 9005
266x144x60mm
IP 54 opt.



A9079207
DATEC-CONTROL L, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
266x144x60mm
IP 54 opt.



A9079209
DATEC-CONTROL L, Vers. II
ABS (UL 94 HB)
black RAL 9005
266x144x60mm
IP 54 opt.



A9176128
Battery compartment XS, 2 x AA
or 1 x 9V
ABS (UL 94 HB)



A9176137
Station XS
ABS (UL 94 HB)
off-white RAL 9002



A9176139
Station XS
ABS (UL 94 HB)
black RAL 9005



A9176158
Battery compartment XS, 3 x AA
ABS (UL 94 HB)
off-white RAL 9002

DATEC-CONTROL



A9177137
Station S
ABS (UL 94 HB)
off-white RAL 9002



A9177139
Station S
ABS (UL 94 HB)
black RAL 9005



A9177310
Battery compartment, 1 x 9 V
ABS (UL 94 HB)



A9178137
Station, Vers. I
ABS (UL 94 HB)
off-white RAL 9002



A9178139
Station, Vers. I
ABS (UL 94 HB)
black RAL 9005




A9178167
Station, Vers. II
ABS (UL 94 HB)
off-white RAL 9002



A9178169
Station, Vers. II
ABS (UL 94 HB)
black RAL 9005

Accessory "battery"




A9160003
Plug-in contact, 1 x 9 V (PP3)




A9174006
Set of battery clips, 1 x 9 V
Steel
tin-plated



A9176007
Set of battery clips, 2 x AA
Steel
nickel-plated



A9176008
Set of battery clips, 3 x AA
Steel
nickel-plated




A9176128
Battery compartment XS, 2 x AA
or 1 x 9 V
ABS (UL 94 HB)



A9176158
Battery compartment XS, 3 x AA
ABS (UL 94 HB)
off-white RAL 9002



A9177310
Battery compartment, 1 x 9 V
ABS (UL 94 HB)




A9178118
Battery compartment holder
PC
volcano

DATEC-CONTROL



A9178128
Battery compartment, M/L, 4 x
AA
PC
volcano



A9178158
Battery compartment, M/L, 5 x
AA
PC
volcano



A9178178
End plate for electronic area,
Vers. I
PC
volcano




A9178188
End plate for electronic area,
Vers. II
PC
volcano



A9178198
End plate for electronic area,
Vers. III
PC
volcano



A9250250
Battery spacer
PE foam
50x25x4mm



A9345217
Set of battery compartment, 4 x
AA
ABS (UL 94 HB)
off-white RAL 9002

Accessory "station"



A9176137
Station XS
ABS (UL 94 HB)
off-white RAL 9002




A9176139
Station XS
ABS (UL 94 HB)
black RAL 9005




A9177137
Station S
ABS (UL 94 HB)
off-white RAL 9002



A9177139
Station S
ABS (UL 94 HB)
black RAL 9005



A9178007
Contacts, male
gold-plated



A9178118
Battery compartment holder
PC
volcano



A9178128
Battery compartment, M/L, 4 x
AA
PC
volcano




A9178137
Station, Vers. I
ABS (UL 94 HB)
off-white RAL 9002

DATEC-CONTROL



A9178139
 Station, Vers. I
 ABS (UL 94 HB)
 black RAL 9005



A9178158
 Battery compartment, M/L, 5 x
 AA
 PC
 volcano



A9178167
 Station, Vers. II
 ABS (UL 94 HB)
 off-white RAL 9002




A9178169
 Station, Vers. II
 ABS (UL 94 HB)
 black RAL 9005




A9199005
 Strain relief
 PA 6
 volcano

Accessory "protection"




A9176001
 Display window XS
 Acrylic glass
 clear




A9176006
 Sealing kit XS



A9176108
 Protector XS
 SBS (TPE)
 volcano




A9177001
 Display window S
 Acrylic glass
 clear




A9177006
 Sealing kit S



A9177008
 Protector S
 SBS (TPE)
 volcano



A9178001
 Display window M
 Acrylic glass
 clear



A9178006
 Sealing kit M


DATEC-CONTROL




A9178108
Protector M
SBS (TPE)
volcano



A9178208
Protector M
SBS (TPE)
volcano



A9179001
Display window L
Acrylic glass
clear



A9179006
Sealing kit L



A9179108
Protector L
SBS (TPE)
volcano



A9179208
Protector L
SEBS (TPE)
volcano



A9199005
Strain relief
PA 6
volcano

Accessory "wall/holder"



A9226117
Wall suspension element
ABS (UL 94 HB)
off-white RAL 9002



A9226119
Wall suspension element
ABS (UL 94 HB)
black RAL 9005



A9226227
Wall suspension element
ABS (UL 94 HB)
off-white RAL 9002



A9226229
Wall suspension element
ABS (UL 94 HB)
black RAL 9005



A9226337
Wall suspension element
ABS (UL 94 HB)
off-white RAL 9002



A9226339
Wall suspension element
ABS (UL 94 HB)
black RAL 9005


DATEC-CONTROL

Accessory "carrying"




A910002
Ring eyelet
PA 6
volcano

Accessory



A9178007
Contacts, male
gold-plated



A9178008
Contacts, female
gold-plated

Nos reservamos el derecho a realizar modificaciones técnicas. © OKW Gehäusesysteme, Buchen (Alemania).