



# SMART-CASE

## Caja de mano para un buen agarre

La idea de hacer más hincapié en los requisitos ergonómicos fue el punto de partida para el desarrollo de la serie de cajas de mano SMART-CASE.

- Diseño ergonómico para un máximo confort en el uso.
- Ideal para mandos a distancia cableados o a pilas: AAA, AA, 9 V ó 12 V.
- Versión con pasacables integrado (tamaños M, L y XL).
- Panel de control rebajado para proteger el teclado de membrana o la lámina decorativa.
- ABS (UL 94 HB), opcionalmente en PMMA (plexiglás) permeable a los infrarrojos.
- Categoría de protección hasta IP 65: tamaños L y XL con junta de sellado opcional y sin compartimento para pilas
- Práctico clip de sujeción y soporte para guardarlo de forma segura disponible como accesorio.
- Base M, L y XL para aplicaciones de sobremesa.
- Cabezales o bases de fijación para placas de circuito impreso y piezas de montaje.
- 4 tamaños.



# SMART-CASE

## Aplicaciones

Mandos a distancia de diversos tipos, con o sin cables. Se usa especialmente en los ámbitos social y sanitario, así como en los hogares y la industria.



BIOFIT test unit for eye frequency



Chlorophyll fluorimeter for plant screening



Controlling treatment beds



Infrared hand transmitter for suncreening curtains



Laser distance measuring device



Leak locator



Nurse presence and staff alert



Remote trainer for dog training



Sleep screening system



System for digital respiratory sound analysis



System for leak detection in leisure vehicles

## Modificaciones específicas del cliente

¿Qué necesita en su producto personalizado? En caso necesario, le suministramos las cajas y botones giratorios listas para el montaje con todas las modificaciones y acabados precisos.  
Opciones de productos para Smart-Case

# SMART-CASE



Mecanizado



Lacado



Impresión



Inscripción láser



Láminas decorativas



Materiales especiales



Compatibilidad  
electromagnética



Confección y montaje

## Versiones



**A9064107**  
SMART-CASE XS  
ABS (UL 94 HB)  
off-white RAL 9002  
58x35,6x19mm  
IP 40



**A9064109**  
SMART-CASE XS  
ABS (UL 94 HB)  
black RAL 9005  
58x35,6x19mm  
IP 40



**A9064209**  
SMART-CASE XS  
PMMA (IR) (UL 94 HB)  
black RAL 9005  
58x35,6x19mm  
IP 40



**A9066107**  
SMART-CASE M, Vers. I  
ABS (UL 94 HB)  
off-white RAL 9002  
96x47x24mm  
IP 40



**A9066109**  
SMART-CASE M, Vers. I  
ABS (UL 94 HB)  
black RAL 9005  
96x47x24mm  
IP 40



**A9066117**  
SMART-CASE M, Vers. II  
ABS (UL 94 HB)  
off-white RAL 9002  
96x47x24mm  
IP 40



**A9066119**  
SMART-CASE M, Vers. II  
ABS (UL 94 HB)  
black RAL 9005  
96x47x24mm  
IP 40



**A9066127**  
SMART-CASE M, Vers. III  
ABS (UL 94 HB)  
off-white RAL 9002  
96x47x24mm  
IP 40

# SMART-CASE



**A9066129**  
SMART-CASE M, Vers. III  
ABS (UL 94 HB)  
black RAL 9005  
96x47x24mm  
IP 40



**A9066137**  
SMART-CASE M, Vers. IV  
ABS (UL 94 HB)  
off-white RAL 9002  
96x47x24mm  
IP 40



**A9066139**  
SMART-CASE M, Vers. IV  
ABS (UL 94 HB)  
black RAL 9005  
96x47x24mm  
IP 40



**A9066147**  
SMART-CASE M, Vers. V  
ABS (UL 94 HB)  
off-white RAL 9002  
96x47x24mm  
IP 40



**A9066149**  
SMART-CASE M, Vers. V  
ABS (UL 94 HB)  
black RAL 9005  
96x47x24mm  
IP 40



**A9066209**  
SMART CASE M, Vers. I  
PMMA (IR) (UL 94 HB)  
black RAL 9005  
96x47x24mm  
IP 40



**A9066219**  
SMART-CASE M, Vers. II  
PMMA (IR) (UL 94 HB)  
black RAL 9005  
96x47x24mm  
IP 40



**A9066317**  
SMART-CASE M, Vers. VI  
ABS (UL 94 HB)  
off-white RAL 9002  
96x47x24mm  
IP 40



**A9066319**  
SMART-CASE M, Vers. VI  
ABS (UL 94 HB)  
black RAL 9005  
96x47x24mm  
IP 40



**A9066329**  
SMART-CASE M, Vers. III  
ABS (UL 94 HB)  
black RAL 9005  
96x47x24mm  
IP 40



**A9066339**  
SMART-CASE M, Vers. IV  
ABS (UL 94 HB)  
black RAL 9005  
96x47x24mm  
IP 40



**A9066349**  
SMART-CASE M, Vers. V  
ABS (UL 94 HB)  
black RAL 9005  
96x47x24mm  
IP 40



**A9066419**  
SMART-CASE M, Vers. VI  
PMMA (IR) (UL 94 HB)  
black RAL 9005  
96x47x24mm  
IP 40



**A9067107**  
SMART-CASE L, Vers. I  
ABS (UL 94 HB)  
off-white RAL 9002  
140x62,7x30,5mm  
IP 40



**A9067109**  
SMART-CASE L, Vers. I  
ABS (UL 94 HB)  
black RAL 9005  
140x62,7x30,5mm  
IP 40



**A9067117**  
SMART-CASE L, Vers. II  
ABS (UL 94 HB)  
off-white RAL 9002  
140x62,7x30,5mm  
IP 65 opt., IP 40

# SMART-CASE



**A9067119**  
SMART-CASE L, Vers. II  
ABS (UL 94 HB)  
black RAL 9005  
140x62,7x30,5mm  
IP 65 opt., IP 40



**A9067127**  
SMART-CASE L, Vers. III  
ABS (UL 94 HB)  
off-white RAL 9002  
140x62,7x30,5mm  
IP 65 opt., IP 40



**A9067129**  
SMART-CASE L, Vers. III  
ABS (UL 94 HB)  
black RAL 9005  
140x62,7x30,5mm  
IP 65 opt., IP 40



**A9067137**  
SMART-CASE L, Vers. IV  
ABS (UL 94 HB)  
off-white RAL 9002  
140x62,7x30,5mm  
IP 65 opt., IP 40



**A9067139**  
SMART-CASE L, Vers. IV  
ABS (UL 94 HB)  
black RAL 9005  
140x62,7x30,5mm  
IP 65 opt., IP 40



**A9067147**  
SMART-CASE L, Vers. V  
ABS (UL 94 HB)  
off-white RAL 9002  
140x62,7x30,5mm  
IP 65 opt., IP 40



**A9067149**  
SMART-CASE L, Vers. V  
ABS (UL 94 HB)  
black RAL 9005  
140x62,7x30,5mm  
IP 65 opt., IP 40



**A9067209**  
SMART-CASE L, Vers. I  
PMMA (IR) (UL 94 HB)  
black RAL 9005  
140x62,7x30,5mm  
IP 40



**A9067219**  
SMART-CASE L, Vers. II  
PMMA (IR) (UL 94 HB)  
black RAL 9005  
140x62,7x30,5mm  
IP 65 opt., IP 40



**A9067329**  
SMART-CASE L, Vers. III  
ABS (UL 94 HB)  
black RAL 9005  
140x62,7x30,5mm  
IP 65 opt., IP 40



**A9067339**  
SMART-CASE L, Vers. IV  
ABS (UL 94 HB)  
black RAL 9005  
140x62,7x30,5mm  
IP 65 opt., IP 40



**A9067349**  
SMART-CASE L, Vers. V  
ABS (UL 94 HB)  
black RAL 9005  
140x62,7x30,5mm  
IP 65 opt., IP 40



**A9068107**  
SMART-CASE XL, Vers. I  
ABS (UL 94 HB)  
off-white RAL 9002  
168x74,4x35,4mm  
IP 40



**A9068109**  
SMART-CASE XL, Vers. I  
ABS (UL 94 HB)  
black RAL 9005  
168x74,4x35,4mm  
IP 40



**A9068117**  
SMART-CASE XL, Vers. II  
ABS (UL 94 HB)  
off-white RAL 9002  
168x74,4x35,4mm  
IP 65 opt., IP 40



**A9068119**  
SMART-CASE XL, Vers. II  
ABS (UL 94 HB)  
black RAL 9005  
168x74,4x35,4mm  
IP 65 opt., IP 40

# SMART-CASE



**A9068127**  
SMART-CASE XL, Vers. III  
ABS (UL 94 HB)  
off-white RAL 9002  
168x74,4x35,4mm  
IP 65 opt., IP 40



**A9068129**  
SMART-CASE XL, Vers. III  
ABS (UL 94 HB)  
black RAL 9005  
168x74,4x35,4mm  
IP 65 opt., IP 40



**A9068137**  
SMART-CASE XL, Vers. IV  
ABS (UL 94 HB)  
off-white RAL 9002  
168x74,4x35,4mm  
IP 65 opt., IP 40



**A9068139**  
SMART-CASE XL, Vers. IV  
ABS (UL 94 HB)  
black RAL 9005  
168x74,4x35,4mm  
IP 65 opt., IP 40



**A9068147**  
SMART-CASE XL, Vers. V  
ABS (UL 94 HB)  
off-white RAL 9002  
168x74,4x35,4mm  
IP 65 opt., IP 40



**A9068149**  
SMART-CASE XL, Vers. V  
ABS (UL 94 HB)  
black RAL 9005  
168x74,4x35,4mm  
IP 65 opt., IP 40



**A9068209**  
SMART-CASE XL, Vers. I  
PMMA (IR) (UL 94 HB)  
black RAL 9005  
168x74,4x35,4mm  
IP 40



**A9068219**  
SMART-CASE XL, Vers. II  
PMMA (IR) (UL 94 HB)  
black RAL 9005  
168x74,4x35,4mm  
IP 65 opt., IP 40



**A9068329**  
SMART-CASE XL, Vers. III  
ABS (UL 94 HB)  
black RAL 9005  
168x74,4x35,4mm  
IP 65 opt., IP 40



**A9068339**  
SMART-CASE XL, Vers. IV  
ABS (UL 94 HB)  
black RAL 9005  
168x74,4x35,4mm  
IP 65 opt., IP 40



**A9068349**  
SMART-CASE XL, Vers. V  
ABS (UL 94 HB)  
black RAL 9005  
168x74,4x35,4mm  
IP 65 opt., IP 40




**A9166037**  
Station M  
ABS (UL 94 HB)  
off-white RAL 9002



**A9166039**  
Station M  
ABS (UL 94 HB)  
black RAL 9005



**A9166307**  
Holder M  
ABS (UL 94 HB)  
off-white RAL 9002



**A9166309**  
Holder M  
ABS (UL 94 HB)  
black RAL 9005



**A9167037**  
Station L  
ABS (UL 94 HB)  
off-white RAL 9002

# SMART-CASE



**A9167039**  
Station L  
ABS (UL 94 HB)  
black RAL 9005



**A9167307**  
Holder L  
ABS (UL 94 HB)  
off-white RAL 9002



**A9167309**  
Holder L  
ABS (UL 94 HB)  
black RAL 9005



**A9168037**  
Station XL  
ABS (UL 94 HB)  
off-white RAL 9002



**A9168039**  
Station XL  
ABS (UL 94 HB)  
black RAL 9005



**A9168307**  
Holder XL  
ABS (UL 94 HB)  
off-white RAL 9002



**A9168309**  
Holder XL  
ABS (UL 94 HB)  
black RAL 9005


## Accessory "battery"



**A9160003**  
Plug-in contact, 1 x 9 V (PP3)



**A9166001**  
Set of battery clips, 2 x AAA  
Steel  
tin-plated



**A9166002**  
Battery contact, 2 x AAA  
Steel  
tin-plated



**A9166003**  
Battery holder, 2 x AAA  
PA 6 (UL 94 HB)  
black RAL 9005



**A9190002**  
Set of battery clips,  
2xN/2xAA/2xAAA  
Steel  
tin-plated



**A9190003**  
Set of battery clips,  
2xN/2xAA/2xAAA  
Steel  
nickel-plated

# SMART-CASE

## Accessory "station"



**A9166004**  
Set of pull-relief  
PA 6  
volcano



**A9166037**  
Station M  
ABS (UL 94 HB)  
off-white RAL 9002



**A9166039**  
Station M  
ABS (UL 94 HB)  
black RAL 9005



**A9167037**  
Station L  
ABS (UL 94 HB)  
off-white RAL 9002



**A9167039**  
Station L  
ABS (UL 94 HB)  
black RAL 9005



**A9168037**  
Station XL  
ABS (UL 94 HB)  
off-white RAL 9002



**A9168039**  
Station XL  
ABS (UL 94 HB)  
black RAL 9005




**A9193032**  
Spring contact


## Accessory "protection"



**A9166004**  
Set of pull-relief  
PA 6  
volcano



**A9167002**  
Sealing L



**A9168002**  
Sealing XL


## Accessory "wall/holder"



**A9166005**  
Adhesive foil M



**A9166307**  
Holder M  
ABS (UL 94 HB)  
off-white RAL 9002



**A9166309**  
Holder M  
ABS (UL 94 HB)  
black RAL 9005



**A9167005**  
Adhesive foil L

# SMART-CASE



**A9167027**  
 Holding clamp  
 PA 6 (UL 94 HB)  
 off-white RAL 9002




**A9167029**  
 Holding clamp  
 PA 6 (UL 94 HB)  
 black RAL 9005



**A9167307**  
 Holder L  
 ABS (UL 94 HB)  
 off-white RAL 9002



**A9167309**  
 Holder L  
 ABS (UL 94 HB)  
 black RAL 9005



**A9168005**  
 Adhesive foil XL



**A9168307**  
 Holder XL  
 ABS (UL 94 HB)  
 off-white RAL 9002



**A9168309**  
 Holder XL  
 ABS (UL 94 HB)  
 black RAL 9005

## Accessory "carrying"



**A9100001**  
 Ring eyelet  
 PA 6  
 volcano



**A9100002**  
 Ring eyelet  
 PA 6  
 volcano



**A9164001**  
 Key ring  
 Steel  
 nickel-plated  
 20,5mm



**A9167017**  
 Belt/pocket clip  
 PA 6 (UL 94 HB)  
 off-white RAL 9002



**A9167019**  
 Belt/pocket clip  
 PA 6 (UL 94 HB)  
 black RAL 9005



**B9100063**  
 Carrying strap, textile lanyard  
 black  
 860mm

# SMART-CASE

## Accessory "screws"



**A0304031**  
Self-tapping screws 2.2 x 5 mm  
(PZ1)

## Accessory



**A9166004**  
Set of pull-relief  
PA 6  
volcano



**A9166005**  
Adhesive foil M



**A9167005**  
Adhesive foil L



**A9168005**  
Adhesive foil XL



**A9193030**  
Contact pin  
gold-plated



**A9193032**  
Spring contact

Nos reservamos el derecho a realizar modificaciones técnicas. © OKW Gehäusesysteme, Buchen (Alemania).