

COM-KNOBS






Modernos botones giratorios con mandriles portapieza

El estético diseño y la selección de colores en tonos pastel caracterizan a los COM-KNOBS con el sistema probado de mandriles portapieza. Estos atractivos botones darán a su electrónica una apariencia de alta calidad.

- Botón con un diseño moderno e innovador.
- Tapa con superficie cromada mate para un aspecto metálico elegante (tamaños 23-40).
- Manejo seguro gracias al sistema de fijación probado y testeado.
- Montaje cómodo del botón desde delante y fijación segura sobre el eje.
- Con o sin ranura para elemento de marcaje.
- Tapa con o sin muesca para los dedos para un manejo cómodo y con mayor ajuste (tamaños 40-50).
- Posible combinación con disco, disco graduado, estator o cubretuercas.
- El diseño se inspira en la gama TOP-KNOBS; de esta forma se garantiza una apariencia uniforme al emplear ambos sistemas de botones giratorios.
- Combinaciones de colores modernas.

Tamaños de los botones Diámetro del eje

ø 16, 20, 23 mm	4 mm, 6 mm, 1/4"
ø 31 mm	6 mm, 1/4"
ø 40, 50 mm	6 mm, 8 mm



COM-KNOBS

Aplicaciones

Para potenciómetros giratorios con extremos de árbol redondeados según la norma DIN 41591. Tecnologías de medición y regulación, tecnologías de medicina y laboratorio, wellness, salud, tecnologías de calefacción y climatización, comunicación, edificios, ecc.



Controller for LED lighting in image processing and microscopy



Operating element for a universal centrifuge



Operating element for an intensive care ventilator




Operating elements for children's kitchen furniture



Operating elements for Klangfinder



Operating elements for ultrasonic nebulizer



Simulator for testing measuring instruments



USB SDR VFO Tuning knob

Modificaciones específicas del cliente

¿Qué necesita en su producto personalizado? En caso necesario, le suministramos las cajas y botones giratorios listas para el montaje con todas las modificaciones y acabados precisos. Opciones de productos para Com-Knobs



Mecanizado



Lacado



Impresión




Inscripción láser




Confección y montaje

COM-KNOBS


Versiones




A3016048
COM-KNOBS 16, with recess
PA 6
volcano
16x16mm 4mm




A3016049
COM-KNOBS 16, with recess
PA 6
nero
16x16mm 4mm



A3016068
COM-KNOBS 16, with recess
PA 6
volcano
16x16mm 6mm



A3016069
COM-KNOBS 16, with recess
PA 6
nero
16x16mm 6mm



A3016638
COM-KNOBS 16, with recess
PA 6
volcano
16x16mm 1/4"



A3016639
COM-KNOBS 16, with recess
PA 6
nero
16x16mm 1/4"



A3020048
COM-KNOBS 20, with recess
PA 6
volcano
20x16mm 4mm



A3020049
COM-KNOBS 20, with recess
PA 6
nero
20x16mm 4mm



A3020068
COM-KNOBS 20, with recess
PA 6
volcano
20x16mm 6mm



A3020069
COM-KNOBS 20, with recess
PA 6
nero
20x16mm 6mm



A3020638
COM-KNOBS 20, with recess
PA 6
volcano
20x16mm 1/4"



A3020639
COM-KNOBS 20, with recess
PA 6
nero
20x16mm 1/4"



A3023048
COM-KNOBS 23, with recess
PA 6
volcano
23x16mm 4mm



A3023049
COM-KNOBS 23, with recess
PA 6
nero
23x16mm 4mm



A3023068
COM-KNOBS 23, with recess
PA 6
volcano
23x16mm 6mm



A3023069
COM-KNOBS 23, with recess
PA 6
nero
23x16mm 6mm

COM-KNOBS




A3023638
 COM-KNOBS 23, with recess
 PA 6
 volcano
 23x16mm 1/4"



A3023639
 COM-KNOBS 23, with recess
 PA 6
 nero
 23x16mm 1/4"




A3031068
 COM-KNOBS 31, with recess
 PA 6
 volcano
 31x16mm 6mm



A3031069
 COM-KNOBS 31, with recess
 PA 6
 nero
 31x16mm 6mm




A3031638
 COM-KNOBS 31, with recess
 PA 6
 volcano
 31x16mm 1/4"




A3031639
 COM-KNOBS 31, with recess
 PA 6
 nero
 31x16mm 1/4"



A3040068
 COM-KNOBS 40, with recess
 PA 6
 volcano
 40x16mm 6mm




A3040069
 COM-KNOBS 40, with recess
 PA 6
 nero
 40x16mm 6mm



A3040088
 COM-KNOBS 40, with recess
 PA 6
 volcano
 40x16mm 8mm



A3040089
 COM-KNOBS 40, with recess
 PA 6
 nero
 40x16mm 8mm




A3050068
 COM-KNOBS 50, with recess
 PA 6
 volcano
 50x16mm 6mm




A3050069
 COM-KNOBS 50, with recess
 PA 6
 nero
 50x16mm 6mm



A3050088
 COM-KNOBS 50, with recess
 PA 6
 volcano
 50x16mm 8mm



A3050089
 COM-KNOBS 50, with recess
 PA 6
 nero
 50x16mm 8mm




A3116048
 COM-KNOBS 16, without recess
 PA 6
 volcano
 16x16mm 4mm



A3116049
 COM-KNOBS 16, without recess
 PA 6
 nero
 16x16mm 4mm


COM-KNOBS




A3116068
 COM-KNOBS 16, without recess
 PA 6
 volcano
 16x16mm 6mm




A3116069
 COM-KNOBS 16, without recess
 PA 6
 nero
 16x16mm 6mm



A3116638
 COM-KNOBS 16, without recess
 PA 6
 volcano
 16x16mm 1/4"



A3116639
 COM-KNOBS 16, without recess
 PA 6
 nero
 16x16mm 1/4"



A3120048
 COM-KNOBS 20, without recess
 PA 6
 volcano
 20x16mm 4mm



A3120049
 COM-KNOBS 20, without recess
 PA 6
 nero
 20x16mm 4mm



A3120068
 COM-KNOBS 20, without recess
 PA 6
 volcano
 20x16mm 6mm



A3120069
 COM-KNOBS 20, without recess
 PA 6
 nero
 20x16mm 6mm



A3120638
 COM-KNOBS 20, without recess
 PA 6
 volcano
 20x16mm 1/4"



A3120639
 COM-KNOBS 20, without recess
 PA 6
 nero
 20x16mm 1/4"



A3123048
 COM-KNOBS 23, without recess
 PA 6
 volcano
 23x16mm 4mm



A3123049
 COM-KNOBS 23, without recess
 PA 6
 nero
 23x16mm 4mm



A3123068
 COM-KNOBS 23, without recess
 PA 6
 volcano
 23x16mm 6mm



A3123069
 COM-KNOBS 23, without recess
 PA 6
 nero
 23x16mm 6mm



A3123638
 COM-KNOBS 23, without recess
 PA 6
 volcano
 23x16mm 1/4"



A3123639
 COM-KNOBS 23, without recess
 PA 6
 nero
 23x16mm 1/4"

COM-KNOBS




A3131068
COM-KNOBS 31, without recess
PA 6
volcano
31x16mm 6mm



A3131069
COM-KNOBS 31, without recess
PA 6
nero
31x16mm 6mm



A3131638
COM-KNOBS 31, without recess
PA 6
volcano
31x16mm 1/4"



A3131639
COM-KNOBS 31, without recess
PA 6
nero
31x16mm 1/4"



A3140068
COM-KNOBS 40, without recess
PA 6
volcano
40x16mm 6mm



A3140069
COM-KNOBS 40, without recess
PA 6
nero
40x16mm 6mm



A3140088
COM-KNOBS 40, without recess
PA 6
volcano
40x16mm 8mm




A3140089
COM-KNOBS 40, without recess
PA 6
nero
40x16mm 8mm



A3150068
COM-KNOBS 50, without recess
PA 6
volcano
50x16mm 6mm



A3150069
COM-KNOBS 50, without recess
PA 6
nero
50x16mm 6mm



A3150088
COM-KNOBS 50, without recess
PA 6
volcano
50x16mm 8mm



A3150089
COM-KNOBS 50, without recess
PA 6
nero
50x16mm 8mm

System components to complete



A3216003
Cover 16
PA 6
coral



A3216004
Cover 16
PA 6
beach



A3216005
Cover 16
PA 6
lagoon



A3216006
Cover 16
PA 6
sky

COM-KNOBS



A3216007
 Cover 16
 PA 6
 mineral



A3216009
 Cover 16
 PA 6
 nero



A3220003
 Cover 20
 PA 6
 coral



A3220004
 Cover 20
 PA 6
 beach



A3220005
 Cover 20
 PA 6
 lagoon



A3220006
 Cover 20
 PA 6
 sky



A3220007
 Cover 20
 PA 6
 mineral



A3220009
 Cover 20
 PA 6
 nero



A3223003
 Cover 23
 PA 6
 coral



A3223004
 Cover 23
 PA 6
 beach



A3223005
 Cover 23
 PA 6
 lagoon



A3223006
 Cover 23
 PA 6
 sky



A3223007
 Cover 23
 PA 6
 mineral



A3223009
 Cover 23
 PA 6
 nero



A3223011
 Cover 23
 ABS (UL 94 HB)
 matt chromed



A3231003
 Cover 31
 PA 6
 coral

COM-KNOBS



A3231004
 Cover 31
 PA 6
 beach



A3231005
 Cover 31
 PA 6
 lagoon



A3231006
 Cover 31
 PA 6
 sky



A3231007
 Cover 31
 PA 6
 mineral



A3231009
 Cover 31
 PA 6
 nero



A3231011
 Cover 31
 ABS (UL 94 HB)
 matt chromed



A3240003
 Cover 40
 PA 6
 coral



A3240004
 Cover 40
 PA 6
 beach



A3240005
 Cover 40
 PA 6
 lagoon



A3240006
 Cover 40
 PA 6
 sky



A3240007
 Cover 40
 PA 6
 mineral



A3240009
 Cover 40
 PA 6
 nero



A3240011
 Cover 40
 ABS (UL 94 HB)
 matt chromed



A3240103
 Cover 40, with finger grip
 PA 6
 coral



A3240104
 Cover 40, with finger grip
 PA 6
 beach



A3240105
 Cover 40, with finger grip
 PA 6
 lagoon

COM-KNOBS



A3240106
 Cover 40, with finger grip
 PA 6
 sky



A3240107
 Cover 40, with finger grip
 PA 6
 mineral



A3240109
 Cover 40, with finger grip
 PA 6
 nero



A3240111
 Cover 40, with finger grip
 ABS (UL 94 HB)
 matt chromed



A3250003
 Cover 50
 PA 6
 coral



A3250004
 Cover 50
 PA 6
 beach



A3250005
 Cover 50
 PA 6
 lagoon



A3250006
 Cover 50
 PA 6
 sky



A3250007
 Cover 50
 PA 6
 mineral



A3250009
 Cover 50
 PA 6
 nero



A3250103
 Cover 50, with finger grip
 PA 6
 coral



A3250104
 Cover 50, with finger grip
 PA 6
 beach



A3250105
 Cover 50, with finger grip
 PA 6
 lagoon



A3250106
 Cover 50, with finger grip
 PA 6
 sky



A3250107
 Cover 50, with finger grip
 PA 6
 mineral



A3250109
 Cover 50, with finger grip
 PA 6
 nero

COM-KNOBS



A3316003
 Peak 16
 PA 6
 coral



A3316004
 Peak 16
 PA 6
 beach



A3316005
 Peak 16
 PA 6
 lagoon



A3316006
 Peak 16
 PA 6
 sky



A3316007
 Peak 16
 PA 6
 mineral



A3316009
 Peak 16
 PA 6
 nero



A3320003
 Peak 20 - 50
 PA 6
 coral




A3320004
 Peak 20 - 50
 PA 6
 beach



A3320005
 Peak 20 - 50
 PA 6
 lagoon



A3320006
 Peak 20 - 50
 PA 6
 sky



A3320007
 Peak 20 - 50
 PA 6
 mineral



A3320009
 Peak 20 - 50
 PA 6
 nero

Accessory "screws"



A6207009
 Round nut M7 x 0.75



A6210009
 Round nut M10 x 0.75



A6295009
 Round nut 3/8"-32G



A6300000
 Spanner

COM-KNOBS



A7516000
 Nut cover 16, without line
 ABS (UL 94 HB)
 black RAL 9005



A7516010
 Nut cover 16, with line
 ABS (UL 94 HB)
 black RAL 9005



A7516018
 Nut cover 16, with line
 ABS (UL 94 HB)
 dusty grey RAL 7037



A7616000
 Nut cover 16, without line
 ABS (UL 94 HB)
 black RAL 9005



A7616008
 Nut cover 16, without line
 ABS (UL 94 HB)
 dusty grey RAL 7037

Accessory




A4416001
 Dial 16
 PC (UL 94 HB)
 transparent



A4416010
 Dial 16
 PC (UL 94 HB)
 transparent



A4416020
 Dial 16
 PC (UL 94 HB)
 transparent



A4416060
 Dial 16
 PC (UL 94 HB)
 transparent



A4420001
 Dial 20
 PC (UL 94 HB)
 transparent



A4420010
 Dial 20
 PC (UL 94 HB)
 transparent



A4420060
 Dial 20
 PC (UL 94 HB)
 transparent




A4423020
 Dial 23
 PC (UL 94 HB)
 transparent

COM-KNOBS




A4423039
 Dial 23
 PC (UL 94 HB)
 transparent



A4423060
 Dial 23
 PC (UL 94 HB)
 transparent



A4431010
 Dial 31
 PC (UL 94 HB)
 transparent



A4431060
 Dial 31
 PC (UL 94 HB)
 transparent



A6016019
 Stator 16
 Aluminium



A6020019
 Stator 20
 Aluminium



A6023019
 Stator 23
 Aluminium



A7316000
 Disk 16, without line
 ABS (UL 94 HB)
 black RAL 9005



A7316010
 Disk 16, with line
 ABS (UL 94 HB)
 black RAL 9005



A7323010
 Disk 23, with line
 ABS (UL 94 HB)
 black RAL 9005



A7331000
 Disk 31, without line
 ABS (UL 94 HB)
 black RAL 9005



A7331010
 Disk 31, with line
 ABS (UL 94 HB)
 black RAL 9005



A7340010
 Disk 40, with line
 ABS (UL 94 HB)
 black RAL 9005

Nos reservamos el derecho a realizar modificaciones técnicas. © OKW Gehäusesysteme, Buchen (Alemania).