

DATEC-MOBIL-BOX

Resistenti contenitori per applicazioni mobili

La serie di contenitori denominata DATEC-MOBIL-BOX è stata concepita e sviluppata su misura per il rilevamento mobile di dati.

- Presa e comando sicuri grazie al profilo ergonomico della parte inferiore del contenitore
- Resistente e a tenuta fino al grado di protezione IP 65, guarnizione come accessorio
- Integrazione di LCD standardizzati; le lastre dei display proteggono gli indicatori incorporati e permettono un grado di protezione elevato nell'area di indicazione
- Superfici piane per le interfacce
- 3 misure, 2 colori
- DATEC-MOBIL-BOX S e L con/senza vano batteria
- DATEC-MOBIL-BOX M con vani batteria opzionali, a seconda dei requisiti
- Superficie di comando incavata a protezione della tastiera a membrana
- Punti di fissaggio per schede e componenti di montaggio, formato Eurocard con misura L
- Supporto inclinato, ergonomico per le operazioni di comando (accessorio)
- Set supporto da parete per il deposito sicuro dei contenitori (accessorio)
- Protezione che assorbe gli urti e ripara le superfici (accessorio misura L)

COMMENTI DEL DESIGNER

"La spaziosità della DATEC-MOBIL-BOX ha veramente del prodigioso. Contando anche la linea di prodotti Datec-Pocket-Box avete a disposizione sei misure di contenitori combinabili con i comuni elementi costruttivi in commercio per sfruttare in modo efficiente tutto lo spazio interno. Ciascuno di questi contenitori portatili può essere considerato il non plus ultra dello sfruttamento degli spazi in combinazione con le funzionalità standard di indicazione, superficie di comando, interfacce e alimentazione di energia. In fatto di prodotti compatti e portatili questo design per contenitori non conosce rivali."

Martin Nußberger, polyform Industrie Design



DATEC-MOBIL-BOX

Esempi di applicazione

Predestinato per l'impiego in ambienti di lavoro difficili, rilevamento e trasmissione mobile dei dati, metrologia e tecnica di regolazione, logistica di magazzino e di vendita, tecnica di comando digitale, etc.



Device for the precision measurement of coating thicknesses



Ferromaster Permeability Meter



Lactat Photometer plus



Portable analyser for digital-audio interfaces

Modifiche specifiche del cliente

Che caratteristiche deve avere il vostro prodotto personalizzato? Su richiesta vi forniamo i contenitori e manopole pronti per il montaggio e con tutte le modifiche e le caratteristiche specifiche.

Opzioni prodotto per Datec-Mobil-Box



Lavorazione meccanica



Verniciatura



Stampa



Marcatura laser



Pellicole decorative



Materiale speciale



Protezione CEM



Confezionamento / montaggio

DATEC-MOBIL-BOX

Versioni



A9073107
DATEC-MOBIL-BOX S, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
152x83x33,5mm
IP 65 opt.



A9073109
DATEC-MOBIL-BOX S, Vers. I
ABS (UL 94 HB)
black RAL 9005
152x83x33,5mm
IP 65 opt.



A9073117
DATEC-MOBIL-BOX S, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
152x83x33,5mm
IP 65 opt.



A9073119
DATEC-MOBIL-BOX S, Vers. I
ABS (UL 94 HB)
black RAL 9005
152x83x33,5mm
IP 65 opt.



A9073207
DATEC-MOBIL-BOX S, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
152x83x33,5mm
IP 65 opt.



A9073209
DATEC-MOBIL-BOX S, Vers. II
ABS (UL 94 HB)
black RAL 9005
152x83x33,5mm
IP 65 opt.



A9073217
DATEC-MOBIL-BOX S, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
152x83x33,5mm
IP 65 opt.



A9073219
DATEC-MOBIL-BOX S, Vers. II
ABS (UL 94 HB)
black RAL 9005
152x83x33,5mm
IP 65 opt.



A9073307
DATEC-MOBIL-BOX S, Vers. III
ABS (UL 94 HB)
off-white RAL 9002
152x83x33,5mm
IP 65 opt.



A9073309
DATEC-MOBIL-BOX S, Vers. III
ABS (UL 94 HB)
black RAL 9005
152x83x33,5mm
IP 65 opt.



A9073317
DATEC-MOBIL-BOX S, Vers. III
ABS (UL 94 HB)
off-white RAL 9002
152x83x33,5mm
IP 65 opt.



A9073319
DATEC-MOBIL-BOX S, Vers. III
ABS (UL 94 HB)
black RAL 9005
152x83x33,5mm
IP 65 opt.



A9073407
DATEC-MOBIL-BOX S, Vers. IV
ABS (UL 94 HB)
off-white RAL 9002
152x83x33,5mm
IP 65 opt.



A9073409
DATEC-MOBIL-BOX S, Vers. IV
ABS (UL 94 HB)
black RAL 9005
152x83x33,5mm
IP 65 opt.



A9073417
DATEC-MOBIL-BOX S, Vers. IV
ABS (UL 94 HB)
off-white RAL 9002
152x83x33,5mm
IP 65 opt.



A9073419
DATEC-MOBIL-BOX S, Vers. IV
ABS (UL 94 HB)
black RAL 9005
152x83x33,5mm
IP 65 opt.

DATEC-MOBIL-BOX



A9074107
DATEC-MOBIL-BOX M, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
195x101x44mm
IP 65 opt.



A9074109
DATEC-MOBIL-BOX M, Vers. I
ABS (UL 94 HB)
black RAL 9005
195x101x44mm
IP 65 opt.



A9074127
DATEC-MOBIL-BOX M, Vers. I,
high
ABS (UL 94 HB)
off-white RAL 9002
195x101x59mm
IP 65 opt.



A9074129
DATEC-MOBIL-BOX M, Vers. I,
high
ABS (UL 94 HB)
black RAL 9005
195x101x59mm
IP 65 opt.



A9074207
DATEC-MOBIL-BOX M, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
195x101x44mm
IP 65 opt.



A9074209
DATEC-MOBIL-BOX M, Vers. II
ABS (UL 94 HB)
black RAL 9005
195x101x44mm
IP 65 opt.



A9074227
DATEC-MOBIL-BOX M, Vers. II,
high
ABS (UL 94 HB)
off-white RAL 9002
195x101x59mm
IP 65 opt.



A9074229
DATEC-MOBIL-BOX M, Vers. II,
high
ABS (UL 94 HB)
black RAL 9005
195x101x59mm
IP 65 opt.



A9074307
DATEC-MOBIL-BOX M, Vers. III
ABS (UL 94 HB)
off-white RAL 9002
195x101x44mm
IP 65 opt.



A9074309
DATEC-MOBIL-BOX M, Vers. III
ABS (UL 94 HB)
black RAL 9005
195x101x44mm
IP 65 opt.



A9074407
DATEC-MOBIL-BOX M, Vers. IV
ABS (UL 94 HB)
off-white RAL 9002
195x101x44mm
IP 65 opt.



A9074409
DATEC-MOBIL-BOX M, Vers. IV
ABS (UL 94 HB)
black RAL 9005
195x101x44mm
IP 65 opt.



A9075107
DATEC-MOBIL-BOX L, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
252x121x50mm
IP 65 opt.



A9075109
DATEC-MOBIL-BOX L, Vers. I
ABS (UL 94 HB)
black RAL 9005
252x121x50mm
IP 65 opt.



A9075117
DATEC-MOBIL-BOX L, Vers. I
ABS (UL 94 HB)
off-white RAL 9002
252x121x50mm
IP 65 opt.



A9075119
DATEC-MOBIL-BOX L, Vers. I
ABS (UL 94 HB)
black RAL 9005
252x121x50mm
IP 65 opt.

DATEC-MOBIL-BOX



A9075207
DATEC-MOBIL-BOX L, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
252x121x50mm
IP 65 opt.



A9075209
DATEC-MOBIL-BOX L, Vers. II
ABS (UL 94 HB)
black RAL 9005
252x121x50mm
IP 65 opt.




A9075217
DATEC-MOBIL-BOX L, Vers. II
ABS (UL 94 HB)
off-white RAL 9002
252x121x50mm
IP 65 opt.



A9075219
DATEC-MOBIL-BOX L, Vers. II
ABS (UL 94 HB)
black RAL 9005
252x121x50mm
IP 65 opt.




A9174002
Battery compartment, 2 x 9 V
ABS (UL 94 HB)
off-white RAL 9002



A9174003
Battery compartment, 1 x 9 V
ABS (UL 94 HB)
off-white RAL 9002




A9250907
Tilt foot bar
ABS (UL 94 HB)
off-white RAL 9002



A9250909
Tilt foot bar
ABS (UL 94 HB)
black RAL 9005

Accessory "battery"



A9160003
Plug-in contact, 1 x 9 V (PP3)




A9161002
Set of battery clips, 2 x 9 V or 4 x AA
Steel
tin-plated



A9173010
9 V contact kit, 1 x 9 V
ABS (UL 94 HB)



A9174002
Battery compartment, 2 x 9 V
ABS (UL 94 HB)
off-white RAL 9002



A9174003
Battery compartment, 1 x 9 V
ABS (UL 94 HB)
off-white RAL 9002



A9174006
Set of battery clips, 1 x 9 V
Steel
tin-plated



A9190011
Set of battery clips, 2 x AA
Steel
nickel-plated




A9190012
Set of battery clips, 4 x AA
Steel
nickel-plated

DATEC-MOBIL-BOX




A9250250
Battery spacer
PE foam
50x25x4mm




A9345217
Set of battery compartment, 4 x
AA
ABS (UL 94 HB)
off-white RAL 9002


Accessory "protection"




A9173001
Sealing kit S




A9173007
Display window S, border off-
white
Acrylic glass
transparent




A9173009
Display window S, border black
Acrylic glass
transparent




A9173307
Display window S, border off-
white
Acrylic glass
transparent



A9173309
Display window S, border black
Acrylic glass
transparent




A9173407
Display window S, border off-
white
Acrylic glass
transparent




A9173409
Display window S, border black
Acrylic glass
transparent




A9174001
Sealing kit M




A9174007
Display window M, border off-
white
Acrylic glass
transparent



A9174009
Display window M, border black
Acrylic glass
transparent




A9174307
Display window M, border off-
white
Acrylic glass
transparent




A9174309
Display window M, border black
Acrylic glass
transparent


DATEC-MOBIL-BOX




A9174407
 Display window M, border off-white
 Acrylic glass
 transparent




A9174409
 Display window M, border black
 Acrylic glass
 transparent



A9175001
 Sealing kit L



A9175007
 Display window L, border off-white
 Acrylic glass
 transparent



A9175009
 Display window L, border black
 Acrylic glass
 transparent



A9175108
 Protector L
 SBS (TPE)
 volcano

Accessory "wall/holder"



A9226127
 Wall suspension element
 ABS (UL 94 HB)
 off-white RAL 9002



A9226129
 Wall suspension element
 ABS (UL 94 HB)
 black RAL 9005



A9226227
 Wall suspension element
 ABS (UL 94 HB)
 off-white RAL 9002



A9226229
 Wall suspension element
 ABS (UL 94 HB)
 black RAL 9005



A9226237
 Wall suspension element
 ABS (UL 94 HB)
 off-white RAL 9002



A9226239
 Wall suspension element
 ABS (UL 94 HB)
 black RAL 9005

DATEC-MOBIL-BOX

Accessory "carrying"



A9100002
 Ring eyelet
 PA 6
 volcano

Accessory "screws"



A0306031
 Self-tapping screws 3 x 6 mm
 (PZ1)



A0308031
 Self-tapping screws 3 x 8 mm
 (PZ1)



A0308132
 Self-tapping screw 3 x 8 mm
 (T10)
 Stainless steel

Accessory



A9207150
 Anti-slide feet 6.5 x 2 mm
 transparent



A9250907
 Tilt foot bar
 ABS (UL 94 HB)
 off-white RAL 9002



A9250909
 Tilt foot bar
 ABS (UL 94 HB)
 black RAL 9005

Salvo modifiche tecniche. © OKW Gehäusesysteme, Buchen/Germania.