


# SMART-CASE

## Obudowa profilowana pod rękę – wygodny chwyt

Pomysł dający większą ekspresję ergonomii był punktem wyjścia w rozwoju naszych obudów SMART-CASE.

- ergonomiczny kształt dla maksymalnego komfortu użytkownika
- idealna dla urządzeń zdalnego sterowania podłączonych za pośrednictwem kabla lub zasilany bateriami: AAA, AA, 9 V lub 12 V
- wersje ze wstępnie zamontowanym przepustem kablowym (rozmiary M, L i XL)
- wersje ze wstępnie zamontowanymi przepustami kablowymi (rozmiary M, L i XL)
- ABS (UL 94 HB); SMART-CASES z PMMA plexiglas przepuszczający światło podczerwone
- klasa szczelności do IP 65: rozmiary L i XL z opcjonalnym bez pojemnika na baterie
- stabilny uchwyt jako opcja
- stacja na biurko w rozmiarach M, L i XL
- wewnętrzne słupki pod PCB
- 4 rozmiary obudowy



# SMART-CASE

## Aplikacje i przykłady

Wiele różnych rodzajów systemów zdalnego sterowania. Rozwiązania mobilne USB. Specjalnie dla technologii medycznych, a także w gospodarstwach domowych oraz w przemyśle.



BIOFIT test unit for eye frequency



Chlorophyll fluorimeter for plant screening



Controlling treatment beds



Infrared hand transmitter for sunscreening curtains



Laser distance measuring device



Leak locator



Nurse presence and staff alert



Remote trainer for dog training



Sleep screening system



System for digital respiratory sound analysis



System for leak detection in leisure vehicles

## Opcje dostosowywania

Czego potrzebujesz do spersonalizowania, swojego produktu? Dostarczamy obudowy i pokręta wraz ze wszystkimi niezbędnymi wymaganymi modyfikacjami.  
Opcje dostosowywania dla Smart-Case

# SMART-CASE



Obróbka obudów



Lakierowanie



Nadruk



Znakowanie laserowe



Folie dekoracyjne



Specjalne materiały



Powłoka EMC



Instalacja / montaż

## Wersje



**A9064107**  
SMART-CASE XS  
ABS (UL 94 HB)  
off-white RAL 9002  
58x35,6x19mm  
IP 40



**A9064109**  
SMART-CASE XS  
ABS (UL 94 HB)  
black RAL 9005  
58x35,6x19mm  
IP 40



**A9064209**  
SMART-CASE XS  
PMMA (IR) (UL 94 HB)  
black RAL 9005  
58x35,6x19mm  
IP 40



**A9066107**  
SMART-CASE M, Vers. I  
ABS (UL 94 HB)  
off-white RAL 9002  
96x47x24mm  
IP 40



**A9066109**  
SMART-CASE M, Vers. I  
ABS (UL 94 HB)  
black RAL 9005  
96x47x24mm  
IP 40



**A9066117**  
SMART-CASE M, Vers. II  
ABS (UL 94 HB)  
off-white RAL 9002  
96x47x24mm  
IP 40



**A9066119**  
SMART-CASE M, Vers. II  
ABS (UL 94 HB)  
black RAL 9005  
96x47x24mm  
IP 40



**A9066127**  
SMART-CASE M, Vers. III  
ABS (UL 94 HB)  
off-white RAL 9002  
96x47x24mm  
IP 40

# SMART-CASE



**A9066129**  
SMART-CASE M, Vers. III  
ABS (UL 94 HB)  
black RAL 9005  
96x47x24mm  
IP 40



**A9066137**  
SMART-CASE M, Vers. IV  
ABS (UL 94 HB)  
off-white RAL 9002  
96x47x24mm  
IP 40



**A9066139**  
SMART-CASE M, Vers. IV  
ABS (UL 94 HB)  
black RAL 9005  
96x47x24mm  
IP 40



**A9066147**  
SMART-CASE M, Vers. V  
ABS (UL 94 HB)  
off-white RAL 9002  
96x47x24mm  
IP 40



**A9066149**  
SMART-CASE M, Vers. V  
ABS (UL 94 HB)  
black RAL 9005  
96x47x24mm  
IP 40



**A9066209**  
SMART CASE M, Vers. I  
PMMA (IR) (UL 94 HB)  
black RAL 9005  
96x47x24mm  
IP 40



**A9066219**  
SMART-CASE M, Vers. II  
PMMA (IR) (UL 94 HB)  
black RAL 9005  
96x47x24mm  
IP 40



**A9066317**  
SMART-CASE M, Vers. VI  
ABS (UL 94 HB)  
off-white RAL 9002  
96x47x24mm  
IP 40



**A9066319**  
SMART-CASE M, Vers. VI  
ABS (UL 94 HB)  
black RAL 9005  
96x47x24mm  
IP 40



**A9066329**  
SMART-CASE M, Vers. III  
ABS (UL 94 HB)  
black RAL 9005  
96x47x24mm  
IP 40



**A9066339**  
SMART-CASE M, Vers. IV  
ABS (UL 94 HB)  
black RAL 9005  
96x47x24mm  
IP 40



**A9066349**  
SMART-CASE M, Vers. V  
ABS (UL 94 HB)  
black RAL 9005  
96x47x24mm  
IP 40



**A9066419**  
SMART-CASE M, Vers. VI  
PMMA (IR) (UL 94 HB)  
black RAL 9005  
96x47x24mm  
IP 40



**A9067107**  
SMART-CASE L, Vers. I  
ABS (UL 94 HB)  
off-white RAL 9002  
140x62,7x30,5mm  
IP 40



**A9067109**  
SMART-CASE L, Vers. I  
ABS (UL 94 HB)  
black RAL 9005  
140x62,7x30,5mm  
IP 40



**A9067117**  
SMART-CASE L, Vers. II  
ABS (UL 94 HB)  
off-white RAL 9002  
140x62,7x30,5mm  
IP 65 opt., IP 40

# SMART-CASE



**A9067119**  
SMART-CASE L, Vers. II  
ABS (UL 94 HB)  
black RAL 9005  
140x62,7x30,5mm  
IP 65 opt., IP 40



**A9067127**  
SMART-CASE L, Vers. III  
ABS (UL 94 HB)  
off-white RAL 9002  
140x62,7x30,5mm  
IP 65 opt., IP 40



**A9067129**  
SMART-CASE L, Vers. III  
ABS (UL 94 HB)  
black RAL 9005  
140x62,7x30,5mm  
IP 65 opt., IP 40



**A9067137**  
SMART-CASE L, Vers. IV  
ABS (UL 94 HB)  
off-white RAL 9002  
140x62,7x30,5mm  
IP 65 opt., IP 40



**A9067139**  
SMART-CASE L, Vers. IV  
ABS (UL 94 HB)  
black RAL 9005  
140x62,7x30,5mm  
IP 65 opt., IP 40



**A9067147**  
SMART-CASE L, Vers. V  
ABS (UL 94 HB)  
off-white RAL 9002  
140x62,7x30,5mm  
IP 65 opt., IP 40



**A9067149**  
SMART-CASE L, Vers. V  
ABS (UL 94 HB)  
black RAL 9005  
140x62,7x30,5mm  
IP 65 opt., IP 40



**A9067209**  
SMART-CASE L, Vers. I  
PMMA (IR) (UL 94 HB)  
black RAL 9005  
140x62,7x30,5mm  
IP 40



**A9067219**  
SMART-CASE L, Vers. II  
PMMA (IR) (UL 94 HB)  
black RAL 9005  
140x62,7x30,5mm  
IP 65 opt., IP 40



**A9067329**  
SMART-CASE L, Vers. III  
ABS (UL 94 HB)  
black RAL 9005  
140x62,7x30,5mm  
IP 65 opt., IP 40



**A9067339**  
SMART-CASE L, Vers. IV  
ABS (UL 94 HB)  
black RAL 9005  
140x62,7x30,5mm  
IP 65 opt., IP 40



**A9067349**  
SMART-CASE L, Vers. V  
ABS (UL 94 HB)  
black RAL 9005  
140x62,7x30,5mm  
IP 65 opt., IP 40



**A9068107**  
SMART-CASE XL, Vers. I  
ABS (UL 94 HB)  
off-white RAL 9002  
168x74,4x35,4mm  
IP 40



**A9068109**  
SMART-CASE XL, Vers. I  
ABS (UL 94 HB)  
black RAL 9005  
168x74,4x35,4mm  
IP 40



**A9068117**  
SMART-CASE XL, Vers. II  
ABS (UL 94 HB)  
off-white RAL 9002  
168x74,4x35,4mm  
IP 65 opt., IP 40



**A9068119**  
SMART-CASE XL, Vers. II  
ABS (UL 94 HB)  
black RAL 9005  
168x74,4x35,4mm  
IP 65 opt., IP 40

# SMART-CASE



**A9068127**  
SMART-CASE XL, Vers. III  
ABS (UL 94 HB)  
off-white RAL 9002  
168x74,4x35,4mm  
IP 65 opt., IP 40



**A9068129**  
SMART-CASE XL, Vers. III  
ABS (UL 94 HB)  
black RAL 9005  
168x74,4x35,4mm  
IP 65 opt., IP 40



**A9068137**  
SMART-CASE XL, Vers. IV  
ABS (UL 94 HB)  
off-white RAL 9002  
168x74,4x35,4mm  
IP 65 opt., IP 40



**A9068139**  
SMART-CASE XL, Vers. IV  
ABS (UL 94 HB)  
black RAL 9005  
168x74,4x35,4mm  
IP 65 opt., IP 40



**A9068147**  
SMART-CASE XL, Vers. V  
ABS (UL 94 HB)  
off-white RAL 9002  
168x74,4x35,4mm  
IP 65 opt., IP 40



**A9068149**  
SMART-CASE XL, Vers. V  
ABS (UL 94 HB)  
black RAL 9005  
168x74,4x35,4mm  
IP 65 opt., IP 40



**A9068209**  
SMART-CASE XL, Vers. I  
PMMA (IR) (UL 94 HB)  
black RAL 9005  
168x74,4x35,4mm  
IP 40



**A9068219**  
SMART-CASE XL, Vers. II  
PMMA (IR) (UL 94 HB)  
black RAL 9005  
168x74,4x35,4mm  
IP 65 opt., IP 40



**A9068329**  
SMART-CASE XL, Vers. III  
ABS (UL 94 HB)  
black RAL 9005  
168x74,4x35,4mm  
IP 65 opt., IP 40



**A9068339**  
SMART-CASE XL, Vers. IV  
ABS (UL 94 HB)  
black RAL 9005  
168x74,4x35,4mm  
IP 65 opt., IP 40



**A9068349**  
SMART-CASE XL, Vers. V  
ABS (UL 94 HB)  
black RAL 9005  
168x74,4x35,4mm  
IP 65 opt., IP 40




**A9166037**  
Station M  
ABS (UL 94 HB)  
off-white RAL 9002



**A9166039**  
Station M  
ABS (UL 94 HB)  
black RAL 9005



**A9166307**  
Holder M  
ABS (UL 94 HB)  
off-white RAL 9002



**A9166309**  
Holder M  
ABS (UL 94 HB)  
black RAL 9005



**A9167037**  
Station L  
ABS (UL 94 HB)  
off-white RAL 9002


# SMART-CASE



**A9167039**  
Station L  
ABS (UL 94 HB)  
black RAL 9005



**A9167307**  
Holder L  
ABS (UL 94 HB)  
off-white RAL 9002



**A9167309**  
Holder L  
ABS (UL 94 HB)  
black RAL 9005




**A9168037**  
Station XL  
ABS (UL 94 HB)  
off-white RAL 9002



**A9168039**  
Station XL  
ABS (UL 94 HB)  
black RAL 9005




**A9168307**  
Holder XL  
ABS (UL 94 HB)  
off-white RAL 9002



**A9168309**  
Holder XL  
ABS (UL 94 HB)  
black RAL 9005

## Accessory "battery"



**A9160003**  
Plug-in contact, 1 x 9 V (PP3)



**A9166001**  
Set of battery clips, 2 x AAA  
Steel  
tin-plated



**A9166002**  
Battery contact, 2 x AAA  
Steel  
tin-plated



**A9166003**  
Battery holder, 2 x AAA  
PA 6 (UL 94 HB)  
black RAL 9005



**A9190002**  
Set of battery clips,  
2xN/2xAA/2xAAA  
Steel  
tin-plated



**A9190003**  
Set of battery clips,  
2xN/2xAA/2xAAA  
Steel  
nickel-plated

# SMART-CASE

## Accessory "station"



**A9166004**  
 Set of pull-relief  
 PA 6  
 volcano



**A9166037**  
 Station M  
 ABS (UL 94 HB)  
 off-white RAL 9002



**A9166039**  
 Station M  
 ABS (UL 94 HB)  
 black RAL 9005



**A9167037**  
 Station L  
 ABS (UL 94 HB)  
 off-white RAL 9002



**A9167039**  
 Station L  
 ABS (UL 94 HB)  
 black RAL 9005



**A9168037**  
 Station XL  
 ABS (UL 94 HB)  
 off-white RAL 9002



**A9168039**  
 Station XL  
 ABS (UL 94 HB)  
 black RAL 9005



**A9193032**  
 Spring contact

## Accessory "protection"



**A9166004**  
 Set of pull-relief  
 PA 6  
 volcano



**A9167002**  
 Sealing L



**A9168002**  
 Sealing XL


## Accessory "wall/holder"



**A9166005**  
 Adhesive foil M



**A9166307**  
 Holder M  
 ABS (UL 94 HB)  
 off-white RAL 9002



**A9166309**  
 Holder M  
 ABS (UL 94 HB)  
 black RAL 9005



**A9167005**  
 Adhesive foil L

# SMART-CASE



**A9167027**  
Holding clamp  
PA 6 (UL 94 HB)  
off-white RAL 9002



**A9167029**  
Holding clamp  
PA 6 (UL 94 HB)  
black RAL 9005



**A9167307**  
Holder L  
ABS (UL 94 HB)  
off-white RAL 9002



**A9167309**  
Holder L  
ABS (UL 94 HB)  
black RAL 9005



**A9168005**  
Adhesive foil XL



**A9168307**  
Holder XL  
ABS (UL 94 HB)  
off-white RAL 9002



**A9168309**  
Holder XL  
ABS (UL 94 HB)  
black RAL 9005

## Accessory "carrying"



**A9100001**  
Ring eyelet  
PA 6  
volcano



**A9100002**  
Ring eyelet  
PA 6  
volcano



**A9164001**  
Key ring  
Steel  
nickel-plated  
20,5mm



**A9167017**  
Belt/pocket clip  
PA 6 (UL 94 HB)  
off-white RAL 9002



**A9167019**  
Belt/pocket clip  
PA 6 (UL 94 HB)  
black RAL 9005



**B9100063**  
Carrying strap, textile lanyard  
black  
860mm

# SMART-CASE

## Accessory "screws"



A0304031  
Self-tapping screws 2.2 x 5 mm  
(PZ1)

## Accessory



A9166004  
Set of pull-relief  
PA 6  
volcano



A9166005  
Adhesive foil M



A9167005  
Adhesive foil L



A9168005  
Adhesive foil XL



A9193030  
Contact pin  
gold-plated



A9193032  
Spring contact

Subject to technical modification without notice. © by OKW Gehäusesysteme, Buchen/Germany.