

# DATEC-CONTROL

## Caixas Portáteis para Grandes Displays Gráficos

Estas caixas ergonômicas têm uma grande seção recessada para a instalação de grandes módulos de display com capacidade gráfica.

- instalação de LCDs tamanho padrão e módulos de visor gráfico
- área de retenção estreita para o conforto do usuário
- alta classe de proteção: IP 65 (XS, S) ou IP 54 (M, L) ao utilizar os kits de vedação e janelas de exibição (acessórios)
- quatro tamanhos cada um em duas cores
- **DATEC-CONTROL XS**  
com/sem parafuso para kits de bateria, pilhas AA 2 x AA / 3 x AA / 1 x 9 V; tampa da bateria opcionalmente com trava e/ou fixada por parafusos; estação para aplicações de caixas para mesa ergonomicamente inclinadas
- **DATEC-CONTROL S**  
com/sem parafuso para kits de bateria, pilhas 4 x AA / 1 x 9 V; tampa de bateria opcionalmente com trava e/ou fixada por parafusos; estação para aplicações de caixas para mesa ergonomicamente inclinadas
- **DATEC-CONTROL M, L**  
com/sem baterias plug-in, até 5 pilhas x AA; com montagem para expansão de memória PCMCIA; estações de mesa e parede separados para o carregamento da bateria e/ou download de dados
- fácil transmissão de dados e corrente de carga, estação e contatos como acessórios
- elemento de suspensão de parede para o armazenamento seguro do gabinete (acessório)
- protetores de absorção de impactos e proteção de superfícies, tamanhos M e L com alça de ombro adicional
- área de operação recessada para proteção ao teclado de membrana
- pilares internos de fixação para PCBs



# DATEC-CONTROL

## Exemplos de aplicação

Coleta de dados móveis e transferência via modem, ISDN ou tecnologia de infravermelhos, tecnologia de medição e controle, dispositivos de controle digital, equipamentos médicos, smart factory, industrie 4.0, etc.



BIOFIT test unit for eye frequency



Hand-held measuring device for soil and water



Mobile balance display unit in a football stadium



Mobile HMI Terminal



Modular measuring system for universal use



Pretension tester for V-belts and toothed belts

## Modificações específicas do cliente

O que você ainda precisa em seu próprio produto pessoal? Nós podemos fornecer caixas e knobs de ajuste com todas as modificações necessárias para a montagem de seus componentes eletrônicos.

Opções para customizadas Datec-Control



Usinagem



Pintura



Impressão



Letragem a laser



Películas decorativas



Materiais especiais



Blindagem EMC



Instalação / Montagem de acessórios

# DATEC-CONTROL

## Versões



**A9076107**  
DATEC-CONTROL XS, Vers. I  
ABS (UL 94 HB)  
off-white RAL 9002  
200x94x39,5mm  
IP 65 opt.



**A9076109**  
DATEC-CONTROL XS, Vers. I  
ABS (UL 94 HB)  
black RAL 9005  
200x94x39,5mm  
IP 65 opt.



**A9076157**  
SET: DATEC-CONTROL XS,  
Vers. I, station..  
ABS (UL 94 HB)  
off-white RAL 9002  
200x94mm  
IP 65 opt.



**A9076159**  
SET: DATEC-CONTROL XS,  
Vers. I, station..  
ABS (UL 94 HB)  
black RAL 9005  
200x94mm  
IP 65 opt.



**A9076207**  
DATEC-CONTROL XS, Vers. II  
ABS (UL 94 HB)  
off-white RAL 9002  
200x94x39,5mm  
IP 65 opt.



**A9076209**  
DATEC-CONTROL XS, Vers. II  
ABS (UL 94 HB)  
black RAL 9005  
200x94x40mm  
IP 65 opt.



**A9076257**  
SET: DATEC-CONTROL XS,  
Vers. II, station..  
ABS (UL 94 HB)  
off-white RAL 9002  
200x94mm  
IP 65 opt.



**A9076259**  
SET: DATEC-CONTROL XS,  
Vers. II, station..  
ABS (UL 94 HB)  
black RAL 9005  
200x94mm  
IP 65 opt.



**A9077107**  
DATEC-CONTROL S, Vers. I  
ABS (UL 94 HB)  
off-white RAL 9002  
228x117x47mm  
IP 65 opt.



**A9077109**  
DATEC-CONTROL S, Vers. I  
ABS (UL 94 HB)  
black RAL 9005  
228x117x47mm  
IP 65 opt.



**A9077157**  
SET: DATEC-CONTROL S, Vers.  
I, station..  
ABS (UL 94 HB)  
off-white RAL 9002  
228x117mm  
IP 65 opt.



**A9077159**  
SET: DATEC-CONTROL S, Vers.  
I, station..  
ABS (UL 94 HB)  
black RAL 9005  
228x117mm  
IP 65 opt.

# DATEC-CONTROL



**A9077207**  
DATEC-CONTROL S, Vers. II  
ABS (UL 94 HB)  
off-white RAL 9002  
228x117x47mm  
IP 65 opt.



**A9077209**  
DATEC-CONTROL S, Vers. II  
ABS (UL 94 HB)  
black RAL 9005  
228x117x47mm  
IP 65 opt.



**A9077257**  
SET: DATEC-CONTROL S, Vers. II, station..  
ABS (UL 94 HB)  
off-white RAL 9002  
228x117mm  
IP 65 opt.




**A9077259**  
SET: DATEC-CONTROL S, Vers. II, station..  
ABS (UL 94 HB)  
black RAL 9005  
228x117mm  
IP 65 opt.



**A9078107**  
DATEC-CONTROL M, Vers. I  
ABS (UL 94 HB)  
off-white RAL 9002  
243x130x60mm  
IP 54 opt.



**A9078109**  
DATEC-CONTROL M, Vers. I  
ABS (UL 94 HB)  
black RAL 9005  
243x130x60mm  
IP 54 opt.



**A9078207**  
DATEC-CONTROL M, Vers. II  
ABS (UL 94 HB)  
off-white RAL 9002  
243x130x60mm  
IP 54 opt.



**A9078209**  
DATEC-CONTROL M, Vers. II  
ABS (UL 94 HB)  
black RAL 9005  
243x130x60mm  
IP 54 opt.



**A9079107**  
DATEC-CONTROL L, Vers. I  
ABS (UL 94 HB)  
off-white RAL 9002  
266x144x60mm  
IP 54 opt.




**A9079109**  
DATEC-CONTROL L, Vers. I  
ABS (UL 94 HB)  
black RAL 9005  
266x144x60mm  
IP 54 opt.



**A9079207**  
DATEC-CONTROL L, Vers. II  
ABS (UL 94 HB)  
off-white RAL 9002  
266x144x60mm  
IP 54 opt.



**A9079209**  
DATEC-CONTROL L, Vers. II  
ABS (UL 94 HB)  
black RAL 9005  
266x144x60mm  
IP 54 opt.



**A9176128**  
Battery compartment XS, 2 x AA  
or 1 x 9V  
ABS (UL 94 HB)



**A9176137**  
Station XS  
ABS (UL 94 HB)  
off-white RAL 9002



**A9176139**  
Station XS  
ABS (UL 94 HB)  
black RAL 9005



**A9176158**  
Battery compartment XS, 3 x AA  
ABS (UL 94 HB)  
off-white RAL 9002

# DATEC-CONTROL



**A9177137**  
Station S  
ABS (UL 94 HB)  
off-white RAL 9002




**A9177139**  
Station S  
ABS (UL 94 HB)  
black RAL 9005



**A9177310**  
Battery compartment, 1 x 9 V  
ABS (UL 94 HB)



**A9178137**  
Station, Vers. I  
ABS (UL 94 HB)  
off-white RAL 9002



**A9178139**  
Station, Vers. I  
ABS (UL 94 HB)  
black RAL 9005




**A9178167**  
Station, Vers. II  
ABS (UL 94 HB)  
off-white RAL 9002



**A9178169**  
Station, Vers. II  
ABS (UL 94 HB)  
black RAL 9005

## Accessory "battery"




**A9160003**  
Plug-in contact, 1 x 9 V (PP3)




**A9174006**  
Set of battery clips, 1 x 9 V  
Steel  
tin-plated



**A9176007**  
Set of battery clips, 2 x AA  
Steel  
nickel-plated



**A9176008**  
Set of battery clips, 3 x AA  
Steel  
nickel-plated




**A9176128**  
Battery compartment XS, 2 x AA  
or 1 x 9 V  
ABS (UL 94 HB)



**A9176158**  
Battery compartment XS, 3 x AA  
ABS (UL 94 HB)  
off-white RAL 9002



**A9177310**  
Battery compartment, 1 x 9 V  
ABS (UL 94 HB)




**A9178118**  
Battery compartment holder  
PC  
volcano

# DATEC-CONTROL



**A9178128**  
Battery compartment, M/L, 4 x  
AA  
PC  
volcano



**A9178158**  
Battery compartment, M/L, 5 x  
AA  
PC  
volcano



**A9178178**  
End plate for electronic area,  
Vers. I  
PC  
volcano




**A9178188**  
End plate for electronic area,  
Vers. II  
PC  
volcano



**A9178198**  
End plate for electronic area,  
Vers. III  
PC  
volcano



**A9250250**  
Battery spacer  
PE foam  
50x25x4mm



**A9345217**  
Set of battery compartment, 4 x  
AA  
ABS (UL 94 HB)  
off-white RAL 9002

## Accessory "station"



**A9176137**  
Station XS  
ABS (UL 94 HB)  
off-white RAL 9002




**A9176139**  
Station XS  
ABS (UL 94 HB)  
black RAL 9005




**A9177137**  
Station S  
ABS (UL 94 HB)  
off-white RAL 9002



**A9177139**  
Station S  
ABS (UL 94 HB)  
black RAL 9005




**A9178007**  
Contacts, male  
gold-plated



**A9178118**  
Battery compartment holder  
PC  
volcano



**A9178128**  
Battery compartment, M/L, 4 x  
AA  
PC  
volcano




**A9178137**  
Station, Vers. I  
ABS (UL 94 HB)  
off-white RAL 9002

# DATEC-CONTROL



**A9178139**  
Station, Vers. I  
ABS (UL 94 HB)  
black RAL 9005



**A9178158**  
Battery compartment, M/L, 5 x  
AA  
PC  
volcano



**A9178167**  
Station, Vers. II  
ABS (UL 94 HB)  
off-white RAL 9002




**A9178169**  
Station, Vers. II  
ABS (UL 94 HB)  
black RAL 9005




**A9199005**  
Strain relief  
PA 6  
volcano

## Accessory "protection"




**A9176001**  
Display window XS  
Acrylic glass  
clear




**A9176006**  
Sealing kit XS



**A9176108**  
Protector XS  
SBS (TPE)  
volcano




**A9177001**  
Display window S  
Acrylic glass  
clear




**A9177006**  
Sealing kit S



**A9177008**  
Protector S  
SBS (TPE)  
volcano



**A9178001**  
Display window M  
Acrylic glass  
clear



**A9178006**  
Sealing kit M


# DATEC-CONTROL



**A9178108**  
 Protector M  
 SBS (TPE)  
 volcano



**A9178208**  
 Protector M  
 SBS (TPE)  
 volcano



**A9179001**  
 Display window L  
 Acrylic glass  
 clear



**A9179006**  
 Sealing kit L



**A9179108**  
 Protector L  
 SBS (TPE)  
 volcano



**A9179208**  
 Protector L  
 SEBS (TPE)  
 volcano



**A9199005**  
 Strain relief  
 PA 6  
 volcano

## Accessory "wall/holder"



**A9226117**  
 Wall suspension element  
 ABS (UL 94 HB)  
 off-white RAL 9002



**A9226119**  
 Wall suspension element  
 ABS (UL 94 HB)  
 black RAL 9005



**A9226227**  
 Wall suspension element  
 ABS (UL 94 HB)  
 off-white RAL 9002



**A9226229**  
 Wall suspension element  
 ABS (UL 94 HB)  
 black RAL 9005



**A9226337**  
 Wall suspension element  
 ABS (UL 94 HB)  
 off-white RAL 9002



**A9226339**  
 Wall suspension element  
 ABS (UL 94 HB)  
 black RAL 9005

# DATEC-CONTROL

## Accessory "carrying"




A9100002  
Ring eyelet  
PA 6  
volcano

## Accessory



A9178007  
Contacts, male  
gold-plated



A9178008  
Contacts, female  
gold-plated

Sujeito à modificações técnicas sem aviso prévio. © de OKW Gehäusesysteme, Buchen/Alemanha.