

# CARRYTEC

## Caixas Plásticas com Alça Integrada

CARRYTEC é o único modelo que oferece alça funcional para muitas tarefas e situações diferentes, para ambientes fechados e ao ar livre.

- alça integrada com suave inserção para perfeita aderência, antiderrapante
- caixa CARRYTEC M em versão fina para montagem de tablets etc.
- alça localizada acima do centro de gravidade para transporte equilibrado
- traseira pode ser instalada em tripé ou suporte para sistemas de braço para posicionamento rápido e alinhamento dos painéis de visualização, operação e organização de cabos
- ampla área de superfície ideal para interfaces do usuário (S: 8,4"/21 cm; M: 10,4"/26 cm; L: 13,4"/34 cm)
- ampla profundidade para instalação e espaço sobressalente para interfaces, mesmo que seja o modelo slim
- interfaces protegidas por áreas de inserção na parte inferior
- armazenamento seguro para suporte de mesa e/ou elemento para fixação em parede; fácil transmissão de dados e corrente para carga, contatos como acessórios (exceto versão slim)
- braçadeira de fixação para tubos redondos e trilhos DIN de acordo com EN ISO 19054
- modelos disponíveis em material plástico resistente a impacto e em cores mais escuras para condições adversas de sujeira para áreas internas e externas
- classe de proteção IP 54 com vedação (acessório)
- área de operação com recesso para proteção do teclado de membrana
- as caixas são fáceis de limpar
- um compartimento de bateria para pilhas 5 x AA (usinagem obrigatória)
- bolsas protetoras opcionais para o transporte de sondas, sensores, cabos etc. (tamanhos S e M)
- pilares internos de fixação de PCBs



# CARRYTEC

## Exemplos de aplicação

Única variedade de possíveis usos: móvel – mesa de trabalho – montagem em parede – montagem em trilho - tubo redondo - tripé - braço de suspensão. Dependendo da aplicação (interna/externa), esta inovadora caixa está disponível em diferentes materiais, como por exemplo, material plástico de alto impacto em cores mais escuras para condições difíceis.



Air velocity meter



Battery filler for aviation batteries



Camera inspection



CNC Machine Monitoring



Diagnostic camera for illustrating the machine status



Hand held HD-camera and monitor system



Indoor Farming Monitoring



Mobile radio remote control unit for orbital welding system



Mobile testing device for cost-effective fault analysis



Monitoring system for cleaning nozzles



Multi-functional measuring instrument



Patient Simulation System



Portable receiver

## Modificações específicas do cliente

O que você ainda precisa em seu próprio produto pessoal? Nós podemos fornecer caixas e knobs de ajuste com todas as modificações necessárias para a montagem de seus componentes eletrônicos. Opções para customizadas Carrytec

# CARRYTEC



Usinagem



Pintura



Impressão



Letragem a laser



Películas decorativas



Blindagem EMC



Instalação / Montagem  
de acessórios

## Versões



**B4208107**  
CARRYTEC S  
ABS (UL 94 HB)  
off-white RAL 9002  
222x205x80mm  
IP 54 opt.



**B4208208**  
CARRYTEC S  
ASA+PC (UL 94 V-0)  
lava  
222x205x80mm  
IP 54 opt.



**B4210107**  
CARRYTEC M  
ABS (UL 94 HB)  
off-white RAL 9002  
270x247x91mm  
IP 54 opt.



**B4210127**  
CARRYTEC M slim version  
ABS (UL 94 HB)  
off-white RAL 9002  
270x247x42mm  
IP 54 opt.



**B4210208**  
CARRYTEC M  
ASA+PC (UL 94 V-0)  
lava  
270x247x91mm  
IP 54 opt.



**B4210228**  
CARRYTEC M slim version  
ASA+PC (UL 94 V-0)  
lava  
270x247x42mm  
IP 54 opt.



**B4213107**  
CARRYTEC L  
ABS (UL 94 HB)  
off-white RAL 9002  
348x303x117mm  
IP 54 opt.



**B4213208**  
CARRYTEC L  
ASA+PC (UL 94 V-0)  
lava  
348x303x117mm  
IP 54 opt.

# CARRYTEC



**B4308117**  
Station S/M  
ABS (UL 94 HB)  
off-white RAL 9002



**B4308218**  
Station S/M  
ASA+PC (UL 94 V-0)  
lava



**B4308600**  
Carrying case S, right-hand side  
grey  
82x180x65mm



**B4308610**  
Carrying case S, left-hand side  
grey  
82x180x65mm



**B4310600**  
Carrying case M, right-hand side  
grey  
99x214x64mm



**B4310610**  
Carrying case M, left-hand side  
grey  
99x214x64mm



**B4313117**  
Station L  
ABS (UL 94 HB)  
off-white RAL 9002



**B4313218**  
Station L  
ASA+PC (UL 94 V-0)  
lava

## Accessory "battery"



**A9338117**  
Battery compartment kit, 5 x AA  
ABS (UL 94 HB)  
off-white RAL 9002  
93x98mm  
IP 54



**A9338218**  
Battery compartment kit, 5 x AA  
ASA+PC (UL 94 V-0)  
lava  
93x98mm  
IP 54

# CARRYTEC

## Accessory "station"



**A9178007**  
Contacts, male  
gold-plated



**A9193044**  
Contacting kit, 6-pin  
ABS (UL 94 HB)  
black RAL 9005



**B4308117**  
Station S/M  
ABS (UL 94 HB)  
off-white RAL 9002



**B4308127**  
Base plate for station  
ABS (UL 94 HB)  
off-white RAL 9002



**B4308218**  
Station S/M  
ASA+PC (UL 94 V-0)  
lava



**B4308228**  
Base plate for station  
ASA+PC (UL 94 V-0)  
lava



**B4313117**  
Station L  
ABS (UL 94 HB)  
off-white RAL 9002



**B4313147**  
Adapter for Station L  
ABS (UL 94 HB)  
off-white RAL 9002



**B4313218**  
Station L  
ASA+PC (UL 94 V-0)  
lava



**B4313248**  
Adapter for Station L  
ASA+PC (UL 94 V-0)  
lava

## Accessory "protection"



**B4308001**  
Sealing S




**B4310001**  
Sealing M




**B4313001**  
Sealing L

# CARRYTEC

## Accessory "wall/holder"



**B4308237**  
Holding clamps  
PA 6  
off-white RAL 9002



**B4308238**  
Holding clamps  
PA 6  
lava

## Accessory "carrying"



**B4308600**  
Carrying case S, right-hand side  
grey  
82x180x65mm



**B4308610**  
Carrying case S, left-hand side  
grey  
82x180x65mm



**B4308650**  
Shoulder strap  
grey  
1400mm



**B4310600**  
Carrying case M, right-hand side  
grey  
99x214x64mm



**B4310610**  
Carrying case M, left-hand side  
grey  
99x214x64mm

## Accessory "screws"




**A0325080**  
Self-tapping screws 2.5 x 8 mm  
(PZ1)

# CARRYTEC

## Accessory




**A9178007**  
Contacts, male  
gold-plated



**A9178008**  
Contacts, female  
gold-plated



**A9193042**  
Mounting plates for contacts  
ABS (UL 94 HB)  
black RAL 9005



**A9193044**  
Contacting kit, 6-pin  
ABS (UL 94 HB)  
black RAL 9005

Sujeito à modificações técnicas sem aviso prévio. © de OKW Gehäusesysteme, Buchen/Alemanha.