





COM-KNOBS

Moderno Sistema de Knob de Aro

Design esteticamente elegante, uma moderna seleção de cores pastel e um sistema de segura fixação através de pinça são as principais características da nossa coleção COM-KNOBS. Estes knobs de ajuste muito atraentes darão aparência de alta qualidade a sua aplicação.

- modernos e inovadores knobs de controle
- Tampa com acabamento cromado fosco para uma aparência metálica elegante (tamanhos 23 a 40)
- confiável operação através do sistema de fixação por pinça que foi devidamente testado
- conveniente montagem a partir da frente com encaixe apertado ao eixo
- com/sem fresta como elemento de marcação
- grampo de cobre com ou sem recesso para controle e ajuste mais fino (tamanhos 40-50)
- adequado também para discos de montagem de acessórios, mostradores, estatores e tampas de porca
- o design é semelhante à nossa inovadora série TOP-KNOBS; este garante uma aparência uniforme ao utilizar as duas tecnologias knob
- modernas combinações de cores

knob de tamanhos	perfurações
ø 16, 20, 23 mm	4 mm, 6 mm, 1/4"
ø 31 mm	6 mm, 1/4"
ø 40, 50 mm	6 mm, 8 mm



COM-KNOBS

Exemplos de aplicação

Para potenciômetros rotativos com pontas de eixos que corresponde a DIN 41591. Medição e tecnologia de controle, médica e dispositivos de bem-estar, equipamento de laboratório, aquecimento e ar condicionado, equipamentos de comunicação, gestão de edifícios, etc.



Controller for LED lighting in image processing and microscopy



Operating element for a universal centrifuge



Operating element for an intensive care ventilator



Operating elements for children's kitchen furniture



Operating elements for Klangfinder



Operating elements for ultrasonic nebulizer



USB SDR VFO Tuning knob

Modificações específicas do cliente

O que você ainda precisa em seu próprio produto pessoal? Nós podemos fornecer caixas e knobs de ajuste com todas as modificações necessárias para a montagem de seus componentes eletrônicos. Opções para customizadas Com-Knobs



Usinagem



Pintura



Impressão



Letragem a laser



Instalação / Montagem de acessórios

COM-KNOBS


Versões



A3016048
COM-KNOBS 16, with recess
PA 6
volcano
16x16mm 4mm



A3016049
COM-KNOBS 16, with recess
PA 6
nero
16x16mm 4mm



A3016068
COM-KNOBS 16, with recess
PA 6
volcano
16x16mm 6mm



A3016069
COM-KNOBS 16, with recess
PA 6
nero
16x16mm 6mm



A3016638
COM-KNOBS 16, with recess
PA 6
volcano
16x16mm 1/4"



A3016639
COM-KNOBS 16, with recess
PA 6
nero
16x16mm 1/4"



A3020048
COM-KNOBS 20, with recess
PA 6
volcano
20x16mm 4mm



A3020049
COM-KNOBS 20, with recess
PA 6
nero
20x16mm 4mm



A3020068
COM-KNOBS 20, with recess
PA 6
volcano
20x16mm 6mm



A3020069
COM-KNOBS 20, with recess
PA 6
nero
20x16mm 6mm



A3020638
COM-KNOBS 20, with recess
PA 6
volcano
20x16mm 1/4"



A3020639
COM-KNOBS 20, with recess
PA 6
nero
20x16mm 1/4"



A3023048
COM-KNOBS 23, with recess
PA 6
volcano
23x16mm 4mm



A3023049
COM-KNOBS 23, with recess
PA 6
nero
23x16mm 4mm




A3023068
COM-KNOBS 23, with recess
PA 6
volcano
23x16mm 6mm



A3023069
COM-KNOBS 23, with recess
PA 6
nero
23x16mm 6mm


COM-KNOBS



A3023638
COM-KNOBS 23, with recess
PA 6
volcano
23x16mm 1/4"



A3023639
COM-KNOBS 23, with recess
PA 6
nero
23x16mm 1/4"




A3031068
COM-KNOBS 31, with recess
PA 6
volcano
31x16mm 6mm



A3031069
COM-KNOBS 31, with recess
PA 6
nero
31x16mm 6mm



A3031638
COM-KNOBS 31, with recess
PA 6
volcano
31x16mm 1/4"




A3031639
COM-KNOBS 31, with recess
PA 6
nero
31x16mm 1/4"



A3040068
COM-KNOBS 40, with recess
PA 6
volcano
40x16mm 6mm




A3040069
COM-KNOBS 40, with recess
PA 6
nero
40x16mm 6mm



A3040088
COM-KNOBS 40, with recess
PA 6
volcano
40x16mm 8mm



A3040089
COM-KNOBS 40, with recess
PA 6
nero
40x16mm 8mm




A3050068
COM-KNOBS 50, with recess
PA 6
volcano
50x16mm 6mm




A3050069
COM-KNOBS 50, with recess
PA 6
nero
50x16mm 6mm



A3050088
COM-KNOBS 50, with recess
PA 6
volcano
50x16mm 8mm



A3050089
COM-KNOBS 50, with recess
PA 6
nero
50x16mm 8mm




A3116048
COM-KNOBS 16, without recess
PA 6
volcano
16x16mm 4mm



A3116049
COM-KNOBS 16, without recess
PA 6
nero
16x16mm 4mm


COM-KNOBS



A3116068
 COM-KNOBS 16, without recess
 PA 6
 volcano
 16x16mm 6mm




A3116069
 COM-KNOBS 16, without recess
 PA 6
 nero
 16x16mm 6mm



A3116638
 COM-KNOBS 16, without recess
 PA 6
 volcano
 16x16mm 1/4"



A3116639
 COM-KNOBS 16, without recess
 PA 6
 nero
 16x16mm 1/4"



A3120048
 COM-KNOBS 20, without recess
 PA 6
 volcano
 20x16mm 4mm



A3120049
 COM-KNOBS 20, without recess
 PA 6
 nero
 20x16mm 4mm



A3120068
 COM-KNOBS 20, without recess
 PA 6
 volcano
 20x16mm 6mm



A3120069
 COM-KNOBS 20, without recess
 PA 6
 nero
 20x16mm 6mm



A3120638
 COM-KNOBS 20, without recess
 PA 6
 volcano
 20x16mm 1/4"



A3120639
 COM-KNOBS 20, without recess
 PA 6
 nero
 20x16mm 1/4"



A3123048
 COM-KNOBS 23, without recess
 PA 6
 volcano
 23x16mm 4mm



A3123049
 COM-KNOBS 23, without recess
 PA 6
 nero
 23x16mm 4mm



A3123068
 COM-KNOBS 23, without recess
 PA 6
 volcano
 23x16mm 6mm



A3123069
 COM-KNOBS 23, without recess
 PA 6
 nero
 23x16mm 6mm



A3123638
 COM-KNOBS 23, without recess
 PA 6
 volcano
 23x16mm 1/4"



A3123639
 COM-KNOBS 23, without recess
 PA 6
 nero
 23x16mm 1/4"

COM-KNOBS



A3131068
COM-KNOBS 31, without recess
PA 6
volcano
31x16mm 6mm



A3131069
COM-KNOBS 31, without recess
PA 6
nero
31x16mm 6mm




A3131638
COM-KNOBS 31, without recess
PA 6
volcano
31x16mm 1/4"



A3131639
COM-KNOBS 31, without recess
PA 6
nero
31x16mm 1/4"



A3140068
COM-KNOBS 40, without recess
PA 6
volcano
40x16mm 6mm



A3140069
COM-KNOBS 40, without recess
PA 6
nero
40x16mm 6mm



A3140088
COM-KNOBS 40, without recess
PA 6
volcano
40x16mm 8mm




A3140089
COM-KNOBS 40, without recess
PA 6
nero
40x16mm 8mm



A3150068
COM-KNOBS 50, without recess
PA 6
volcano
50x16mm 6mm



A3150069
COM-KNOBS 50, without recess
PA 6
nero
50x16mm 6mm



A3150088
COM-KNOBS 50, without recess
PA 6
volcano
50x16mm 8mm



A3150089
COM-KNOBS 50, without recess
PA 6
nero
50x16mm 8mm

System components to complete



A3216003
Cover 16
PA 6
coral



A3216004
Cover 16
PA 6
beach



A3216005
Cover 16
PA 6
lagoon



A3216006
Cover 16
PA 6
sky

COM-KNOBS



A3216007
Cover 16
PA 6
mineral



A3216009
Cover 16
PA 6
nero



A3220003
Cover 20
PA 6
coral



A3220004
Cover 20
PA 6
beach



A3220005
Cover 20
PA 6
lagoon



A3220006
Cover 20
PA 6
sky



A3220007
Cover 20
PA 6
mineral



A3220009
Cover 20
PA 6
nero



A3223003
Cover 23
PA 6
coral



A3223004
Cover 23
PA 6
beach



A3223005
Cover 23
PA 6
lagoon



A3223006
Cover 23
PA 6
sky



A3223007
Cover 23
PA 6
mineral



A3223009
Cover 23
PA 6
nero



A3223011
Cover 23
ABS (UL 94 HB)
matt chromed



A3231003
Cover 31
PA 6
coral

COM-KNOBS



A3231004
 Cover 31
 PA 6
 beach



A3231005
 Cover 31
 PA 6
 lagoon



A3231006
 Cover 31
 PA 6
 sky



A3231007
 Cover 31
 PA 6
 mineral



A3231009
 Cover 31
 PA 6
 nero



A3231011
 Cover 31
 ABS (UL 94 HB)
 matt chromed



A3240003
 Cover 40
 PA 6
 coral



A3240004
 Cover 40
 PA 6
 beach



A3240005
 Cover 40
 PA 6
 lagoon



A3240006
 Cover 40
 PA 6
 sky



A3240007
 Cover 40
 PA 6
 mineral



A3240009
 Cover 40
 PA 6
 nero



A3240011
 Cover 40
 ABS (UL 94 HB)
 matt chromed



A3240103
 Cover 40, with finger grip
 PA 6
 coral



A3240104
 Cover 40, with finger grip
 PA 6
 beach



A3240105
 Cover 40, with finger grip
 PA 6
 lagoon

COM-KNOBS



A3240106
 Cover 40, with finger grip
 PA 6
 sky



A3240107
 Cover 40, with finger grip
 PA 6
 mineral



A3240109
 Cover 40, with finger grip
 PA 6
 nero



A3240111
 Cover 40, with finger grip
 ABS (UL 94 HB)
 matt chromed



A3250003
 Cover 50
 PA 6
 coral



A3250004
 Cover 50
 PA 6
 beach



A3250005
 Cover 50
 PA 6
 lagoon



A3250006
 Cover 50
 PA 6
 sky



A3250007
 Cover 50
 PA 6
 mineral



A3250009
 Cover 50
 PA 6
 nero



A3250103
 Cover 50, with finger grip
 PA 6
 coral



A3250104
 Cover 50, with finger grip
 PA 6
 beach



A3250105
 Cover 50, with finger grip
 PA 6
 lagoon



A3250106
 Cover 50, with finger grip
 PA 6
 sky



A3250107
 Cover 50, with finger grip
 PA 6
 mineral



A3250109
 Cover 50, with finger grip
 PA 6
 nero

COM-KNOBS



A3316003
 Peak 16
 PA 6
 coral



A3316004
 Peak 16
 PA 6
 beach



A3316005
 Peak 16
 PA 6
 lagoon



A3316006
 Peak 16
 PA 6
 sky



A3316007
 Peak 16
 PA 6
 mineral



A3316009
 Peak 16
 PA 6
 nero



A3320003
 Peak 20 - 50
 PA 6
 coral




A3320004
 Peak 20 - 50
 PA 6
 beach



A3320005
 Peak 20 - 50
 PA 6
 lagoon



A3320006
 Peak 20 - 50
 PA 6
 sky



A3320007
 Peak 20 - 50
 PA 6
 mineral



A3320009
 Peak 20 - 50
 PA 6
 nero

Accessory "screws"



A6207009
 Round nut M7 x 0.75



A6210009
 Round nut M10 x 0.75



A6295009
 Round nut 3/8"-32G



A6300000
 Spanner

COM-KNOBS



A7516000
 Nut cover 16, without line
 ABS (UL 94 HB)
 black RAL 9005



A7516010
 Nut cover 16, with line
 ABS (UL 94 HB)
 black RAL 9005



A7516018
 Nut cover 16, with line
 ABS (UL 94 HB)
 dusty grey RAL 7037



A7616000
 Nut cover 16, without line
 ABS (UL 94 HB)
 black RAL 9005



A7616008
 Nut cover 16, without line
 ABS (UL 94 HB)
 dusty grey RAL 7037


Accessory




A4416001
 Dial 16
 PC (UL 94 HB)
 transparent



A4416010
 Dial 16
 PC (UL 94 HB)
 transparent



A4416020
 Dial 16
 PC (UL 94 HB)
 transparent




A4416060
 Dial 16
 PC (UL 94 HB)
 transparent



A4420001
 Dial 20
 PC (UL 94 HB)
 transparent



A4420010
 Dial 20
 PC (UL 94 HB)
 transparent



A4420060
 Dial 20
 PC (UL 94 HB)
 transparent




A4423020
 Dial 23
 PC (UL 94 HB)
 transparent


COM-KNOBS




A4423039
 Dial 23
 PC (UL 94 HB)
 transparent



A4423060
 Dial 23
 PC (UL 94 HB)
 transparent



A4431010
 Dial 31
 PC (UL 94 HB)
 transparent



A4431060
 Dial 31
 PC (UL 94 HB)
 transparent



A6016019
 Stator 16
 Aluminium



A6020019
 Stator 20
 Aluminium



A6023019
 Stator 23
 Aluminium



A7316000
 Disk 16, without line
 ABS (UL 94 HB)
 black RAL 9005



A7316010
 Disk 16, with line
 ABS (UL 94 HB)
 black RAL 9005



A7323010
 Disk 23, with line
 ABS (UL 94 HB)
 black RAL 9005



A7331000
 Disk 31, without line
 ABS (UL 94 HB)
 black RAL 9005



A7331010
 Disk 31, with line
 ABS (UL 94 HB)
 black RAL 9005



A7340010
 Disk 40, with line
 ABS (UL 94 HB)
 black RAL 9005

Sujeito à modificações técnicas sem aviso prévio. © de OKW Gehäusesysteme, Buchen/Alemanha.