

# BODY-CASE 携戴盒

## 特色小型机盒 - 携带舒适

BODY-CASE 携戴盒是 OKW 的新型“可携戴”标准机盒。机盒的设计非常合适便携式技术，所谓的“可穿戴技术”：套戴于手臂、套挂于颈部、插入衬衫或裤子的口袋、或松散地放于服装中。

- 专门用于封装电子元件和传感器的机盒，特别适合佩戴在身上或靠近身体的部位，3 种规格可选
- 既保证其功能，又不会妨碍使用者或引人注目
- 具备高度抛光表面的现代化的外观和亚光 TPV 密封圈
- 明显的独家分化性，通过使用独特的精炼表带（18 毫米宽）
- 操作简单，通过按钮、触摸屏、按钮或使用语音命令及动感感应
- 无线联网性
- 高防护等级 IP 65
- ASA 材质，具有高度的防紫外线性
- 通过直接安装在电路板中的圆形或纽扣电池形成内部供电 - 也可选择使用带铜圈的充电电池，以便感应式充电
- 上盒无或带有凹陷操作区域，用于保护装饰膜或膜键盘
- 四个高质量的不锈钢 Torx 梅花头螺钉; 安装附件的两个弹簧杆属于机盒供货范围内
- 适配规格 L 和 M 的可选配件：手腕带，卡夹组件（夹环，挂钩）等
- 适配规格 XL：手腕带，卡夹组件（夹环，挂钩）



# BODY-CASE 携戴盒

## 应用示例

移动数据采集和数据传输。Wearables。IoT/IIoT。跟踪和监控设备应用。应急和预警系统应用。以及用于保健、医疗、理疗。公共场所。休闲和运动领域的信号传感。此外应用于工业中。例如数控通信技术。存储和销售物流。安全设备。仪器仪表和测量设备及自动化控制。为保证安全所需的具备位置跟踪的工作岗位的应用。



B-heal Hybrid Blood Zapper



CO gas alert



Dementia Protection System



Dr Call



eEntry access and security controls



GPS tracking system



Overcrowd prevention and Safe distancing

## 按客户要求修改加工

如何体现您的特殊产品？如有需要，我们执行所有必要的修改和精加工，提供组装完毕的机盒。产品类型用于 Body-Case 携戴盒



机械加工



图文打印于机盒



激光打印字体



装饰膜



制备 / 组装

# BODY-CASE 携戴盒

## 类型



**B1604107**  
BODY-CASE M, without recess  
ASA (UL 94 HB)  
traffic white RAL 9016  
50x41x15mm  
IP 65



**B1604117**  
BODY-CASE M, without recess  
ASA (UL 94 HB)  
traffic white RAL 9016  
50x41x15mm  
IP 65



**B1604207**  
BODY-CASE M, with recess  
ASA (UL 94 HB)  
traffic white RAL 9016  
50x41x14mm  
IP 65



**B1604217**  
BODY-CASE M, with recess  
ASA (UL 94 HB)  
traffic white RAL 9016  
50x41x14mm  
IP 65



**B1606107**  
BODY-CASE L, without recess  
ASA (UL 94 HB)  
traffic white RAL 9016  
55x46x17mm  
IP 65



**B1606117**  
BODY-CASE L, without recess  
ASA (UL 94 HB)  
traffic white RAL 9016  
55x46x17mm  
IP 65



**B1606207**  
BODY-CASE L, with recess  
ASA (UL 94 HB)  
traffic white RAL 9016  
55x46x16mm  
IP 65



**B1606217**  
BODY-CASE L, with recess  
ASA (UL 94 HB)  
traffic white RAL 9016  
55x46x16mm  
IP 65



**B1608107**  
BODY-CASE XL, without recess  
ASA (UL 94 HB)  
traffic white RAL 9016  
62x56x18mm  
IP 65



**B1608117**  
BODY-CASE XL, without recess  
ASA (UL 94 HB)  
traffic white RAL 9016  
62x56x18mm  
IP 65



**B1608207**  
BODY-CASE XL, with recess  
ASA (UL 94 HB)  
traffic white RAL 9016  
62x56x17mm  
IP 65



**B1608217**  
BODY-CASE XL, with recess  
ASA (UL 94 HB)  
traffic white RAL 9016  
62x56x17mm  
IP 65



**B1706001**  
Eyelet / pocket clip kit  
ASA (UL 94 HB)  
traffic white RAL 9016



**B1706202**  
Wrist strap, 18 mm  
Silicone  
black

# BODY-CASE 携戴盒

需加附件使产品完整



**B1706206**  
Spring bar, Ø 1.5 x 19 mm  
Stainless steel

“底座” 配件



**B1704017**  
Station M  
ASA (UL 94 HB)  
traffic white RAL 9016  
62x50x17mm



**B1706017**  
Station L  
ASA (UL 94 HB)  
traffic white RAL 9016  
62x50x17mm

“手提” 盒附件



**A9164001**  
Key ring  
Steel  
nickel-plated  
20.5mm



**B1706001**  
Eyelet / pocket clip kit  
ASA (UL 94 HB)  
traffic white RAL 9016



**B1706202**  
Wrist strap, 18 mm  
Silicone  
black



**B1706203**  
Spring bar tool  
Stainless steel



**B9100063**  
Carrying strap, textile lanyard  
black  
860mm

# BODY-CASE 携戴盒

保留技术更改可能性。© OKW 机盒系统, Buchen/德国。