

BODY-CASE 携戴盒

特色小型机盒 - 携带舒适

BODY-CASE 携戴盒是 OKW 的新型“可携戴”标准机盒。机盒的设计非常合适便携式技术，所谓的“可穿戴技术”：套戴于手臂、套挂于颈部、插入衬衫或裤子的口袋、或松散地放于服装中。

- 专门用于封装电子元件和传感器的机盒，特别适合佩戴在身上或靠近身体的部位，3 种规格可选
- 既保证其功能，又不会妨碍使用者或引人注目
- 具备高度抛光表面的现代化的外观和亚光 TPV 密封圈
- 明显的独家分化性，通过使用独特的精炼表带（18 毫米宽）
- 操作简单，通过按钮、触摸屏、按钮或使用语音命令及动感感应
- 无线联网性
- 高防护等级 IP 65
- ASA 材质，具有高度的防紫外线性
- 通过直接安装在电路板中的圆形或纽扣电池形成内部供电 - 也可选择使用带铜圈的充电电池，以便感应式充电
- 上盒无或带有凹陷操作区域，用于保护装饰膜或膜键盘
- 四个高质量的不锈钢 Torx 梅花头螺钉; 安装附件的两个弹簧杆属于机盒供货范围内
- 适配规格 L 和 M 的可选配件：手腕带，卡夹组件（夹环，挂钩）等
- 适配规格 XL：手腕带，卡夹组件（夹环，挂钩）



BODY-CASE 携戴盒

应用示例

移动数据采集和数据传输。Wearables。IoT/IIoT。跟踪和监控设备应用。应急和预警系统应用。以及用于保健、医疗、理疗。公共场所。休闲和运动领域的信号传感。此外应用于工业中。例如数控通信技术。存储和销售物流。安全设备。仪器仪表和测量设备及自动化控制。为保证安全所需的具备位置跟踪的工作岗位的应用。



B-heal Hybrid Blood Zapper



CO gas alert



Dementia Protection System



Dr Call



eEntry access and security controls



GPS tracking system



Overcrowd prevention and Safe distancing

按客户要求修改加工

如何体现您的特殊产品？如有需要，我们执行所有必要的修改和精加工，提供组装完毕的机盒。产品类型用于 Body-Case 携戴盒



机械加工



图文打印于机盒



激光打印字体



装饰膜



制备 / 组装

BODY-CASE 携戴盒

类型



B1604107
BODY-CASE M, without recess
ASA (UL 94 HB)
traffic white RAL 9016
50x41x15mm
IP 65



B1604117
BODY-CASE M, without recess
ASA (UL 94 HB)
traffic white RAL 9016
50x41x15mm
IP 65



B1604207
BODY-CASE M, with recess
ASA (UL 94 HB)
traffic white RAL 9016
50x41x14mm
IP 65



B1604217
BODY-CASE M, with recess
ASA (UL 94 HB)
traffic white RAL 9016
50x41x14mm
IP 65



B1606107
BODY-CASE L, without recess
ASA (UL 94 HB)
traffic white RAL 9016
55x46x17mm
IP 65



B1606117
BODY-CASE L, without recess
ASA (UL 94 HB)
traffic white RAL 9016
55x46x17mm
IP 65



B1606207
BODY-CASE L, with recess
ASA (UL 94 HB)
traffic white RAL 9016
55x46x16mm
IP 65



B1606217
BODY-CASE L, with recess
ASA (UL 94 HB)
traffic white RAL 9016
55x46x16mm
IP 65



B1608107
BODY-CASE XL, without recess
ASA (UL 94 HB)
traffic white RAL 9016
62x56x18mm
IP 65



B1608117
BODY-CASE XL, without recess
ASA (UL 94 HB)
traffic white RAL 9016
62x56x18mm
IP 65



B1608207
BODY-CASE XL, with recess
ASA (UL 94 HB)
traffic white RAL 9016
62x56x17mm
IP 65



B1608217
BODY-CASE XL, with recess
ASA (UL 94 HB)
traffic white RAL 9016
62x56x17mm
IP 65



B1706001
Eyelet / pocket clip kit
ASA (UL 94 HB)
traffic white RAL 9016



B1706202
Wrist strap, 18 mm
Silicone
black

BODY-CASE 携戴盒

需加附件使产品完整



B1706206
Spring bar, Ø 1.5 x 19 mm
Stainless steel

“底座” 配件



B1704017
Station M
ASA (UL 94 HB)
traffic white RAL 9016
62x50x17mm



B1706017
Station L
ASA (UL 94 HB)
traffic white RAL 9016
62x50x17mm

“手提” 盒附件



A9164001
Key ring
Steel
nickel-plated
20.5mm



B1706001
Eyelet / pocket clip kit
ASA (UL 94 HB)
traffic white RAL 9016



B1706202
Wrist strap, 18 mm
Silicone
black



B1706203
Spring bar tool
Stainless steel



B9100063
Carrying strap, textile lanyard
black
860mm

BODY-CASE 携戴盒

保留技术更改可能性。© OKW 机盒系统, Buchen/德国。