

COM-KNOBS 通讯旋钮

现代式卡夹固定旋钮

美学设计款式和柔和色调的颜色选择并具备久经考验的卡夹固定体现了 COM-KNOBS 通讯旋钮的特征。



- 令人愉快的旋钮设计款式使现代创新性设备形象突出
- 亚光镀铬表面的钮盖体现了高雅的金属外观（尺寸规格 23 - 40）
- 经过验证的卡夹式夹头安装使操作安全
- 前方按钮固定使安装舒适并达到固定于轴上的安全稳固性
- 带或不带标记部件均可采用
- 从规格尺寸 40 起，钮盖可设置带或不带手指凹陷区以方便调控操作
- 可与覆盖盘、刻度盘、定子或螺母盖组合使用
- 款式设计基于 TOP-KNOBS 特级旋钮系列; 在使用两个旋钮技术时，可以保证协调一致的外观形象
- 柔和色调的现代色彩组合

旋钮尺寸规格 轴孔径规格

∅ 16、20、23 mm 4 mm、6 mm、1/4"

∅ 31 mm 6 mm、1/4"

∅ 40、50 mm 6 mm、8 mm



COM-KNOBS 通讯旋钮

应用示例

适配符合 DIN 41591 标准的带圆轴端的旋转电位器。测量和控制技术。医疗和实验室技术。健康和医疗保健技术。暖气和空调设施。通信技术。建筑领域。



Controller for LED lighting in image processing and microscopy



Operating element for a universal centrifuge



Operating element for an intensive care ventilator



Operating elements for children's kitchen furniture



Operating elements for Klangfinder



Operating elements for ultrasonic nebulizer



USB SDR VFO Tuning knob

按客户要求修改加工

如何体现您的特殊产品？如有需要，我们执行所有必要的修改和精加工，提供组装完毕的机盒。产品类型用于 Com-Knobs 通讯旋钮



机械加工



表面涂渡



图文打印于机盒



激光打印字体



制备 / 组装

COM-KNOBS 通讯旋钮

类型



A3016048
COM-KNOBS 16, with recess
PA 6
volcano
16x16mm 4mm



A3016049
COM-KNOBS 16, with recess
PA 6
nero
16x16mm 4mm



A3016068
COM-KNOBS 16, with recess
PA 6
volcano
16x16mm 6mm



A3016069
COM-KNOBS 16, with recess
PA 6
nero
16x16mm 6mm



A3016638
COM-KNOBS 16, with recess
PA 6
volcano
16x16mm 1/4"



A3016639
COM-KNOBS 16, with recess
PA 6
nero
16x16mm 1/4"



A3020048
COM-KNOBS 20, with recess
PA 6
volcano
20x16mm 4mm



A3020049
COM-KNOBS 20, with recess
PA 6
nero
20x16mm 4mm



A3020068
COM-KNOBS 20, with recess
PA 6
volcano
20x16mm 6mm



A3020069
COM-KNOBS 20, with recess
PA 6
nero
20x16mm 6mm



A3020638
COM-KNOBS 20, with recess
PA 6
volcano
20x16mm 1/4"



A3020639
COM-KNOBS 20, with recess
PA 6
nero
20x16mm 1/4"



A3023048
COM-KNOBS 23, with recess
PA 6
volcano
23x16mm 4mm



A3023049
COM-KNOBS 23, with recess
PA 6
nero
23x16mm 4mm



A3023068
COM-KNOBS 23, with recess
PA 6
volcano
23x16mm 6mm



A3023069
COM-KNOBS 23, with recess
PA 6
nero
23x16mm 6mm

COM-KNOBS 通讯旋钮



A3023638
COM-KNOBS 23, with recess
PA 6
volcano
23x16mm 1/4"



A3023639
COM-KNOBS 23, with recess
PA 6
nero
23x16mm 1/4"



A3031068
COM-KNOBS 31, with recess
PA 6
volcano
31x16mm 6mm



A3031069
COM-KNOBS 31, with recess
PA 6
nero
31x16mm 6mm



A3031638
COM-KNOBS 31, with recess
PA 6
volcano
31x16mm 1/4"




A3031639
COM-KNOBS 31, with recess
PA 6
nero
31x16mm 1/4"




A3040068
COM-KNOBS 40, with recess
PA 6
volcano
40x16mm 6mm




A3040069
COM-KNOBS 40, with recess
PA 6
nero
40x16mm 6mm



A3040088
COM-KNOBS 40, with recess
PA 6
volcano
40x16mm 8mm



A3040089
COM-KNOBS 40, with recess
PA 6
nero
40x16mm 8mm




A3050068
COM-KNOBS 50, with recess
PA 6
volcano
50x16mm 6mm



A3050069
COM-KNOBS 50, with recess
PA 6
nero
50x16mm 6mm



A3050088
COM-KNOBS 50, with recess
PA 6
volcano
50x16mm 8mm



A3050089
COM-KNOBS 50, with recess
PA 6
nero
50x16mm 8mm



A3116048
COM-KNOBS 16, without recess
PA 6
volcano
16x16mm 4mm



A3116049
COM-KNOBS 16, without recess
PA 6
nero
16x16mm 4mm

COM-KNOBS 通讯旋钮



A3116068
COM-KNOBS 16, without recess
PA 6
volcano
16x16mm 6mm



A3116069
COM-KNOBS 16, without recess
PA 6
nero
16x16mm 6mm



A3116638
COM-KNOBS 16, without recess
PA 6
volcano
16x16mm 1/4"



A3116639
COM-KNOBS 16, without recess
PA 6
nero
16x16mm 1/4"



A3120048
COM-KNOBS 20, without recess
PA 6
volcano
20x16mm 4mm



A3120049
COM-KNOBS 20, without recess
PA 6
nero
20x16mm 4mm



A3120068
COM-KNOBS 20, without recess
PA 6
volcano
20x16mm 6mm



A3120069
COM-KNOBS 20, without recess
PA 6
nero
20x16mm 6mm



A3120638
COM-KNOBS 20, without recess
PA 6
volcano
20x16mm 1/4"



A3120639
COM-KNOBS 20, without recess
PA 6
nero
20x16mm 1/4"



A3123048
COM-KNOBS 23, without recess
PA 6
volcano
23x16mm 4mm



A3123049
COM-KNOBS 23, without recess
PA 6
nero
23x16mm 4mm



A3123068
COM-KNOBS 23, without recess
PA 6
volcano
23x16mm 6mm



A3123069
COM-KNOBS 23, without recess
PA 6
nero
23x16mm 6mm



A3123638
COM-KNOBS 23, without recess
PA 6
volcano
23x16mm 1/4"



A3123639
COM-KNOBS 23, without recess
PA 6
nero
23x16mm 1/4"

COM-KNOBS 通讯旋钮



A3131068
COM-KNOBS 31, without recess
PA 6
volcano
31x16mm 6mm



A3131069
COM-KNOBS 31, without recess
PA 6
nero
31x16mm 6mm



A3131638
COM-KNOBS 31, without recess
PA 6
volcano
31x16mm 1/4"



A3131639
COM-KNOBS 31, without recess
PA 6
nero
31x16mm 1/4"




A3140068
COM-KNOBS 40, without recess
PA 6
volcano
40x16mm 6mm



A3140069
COM-KNOBS 40, without recess
PA 6
nero
40x16mm 6mm



A3140088
COM-KNOBS 40, without recess
PA 6
volcano
40x16mm 8mm



A3140089
COM-KNOBS 40, without recess
PA 6
nero
40x16mm 8mm




A3150068
COM-KNOBS 50, without recess
PA 6
volcano
50x16mm 6mm



A3150069
COM-KNOBS 50, without recess
PA 6
nero
50x16mm 6mm



A3150088
COM-KNOBS 50, without recess
PA 6
volcano
50x16mm 8mm



A3150089
COM-KNOBS 50, without recess
PA 6
nero
50x16mm 8mm

系统组件使产品完整



A3216003
Cover 16
PA 6
coral



A3216004
Cover 16
PA 6
beach



A3216005
Cover 16
PA 6
lagoon



A3216006
Cover 16
PA 6
sky

COM-KNOBS 通讯旋钮



A3216007
Cover 16
PA 6
mineral



A3216009
Cover 16
PA 6
nero



A3220003
Cover 20
PA 6
coral



A3220004
Cover 20
PA 6
beach



A3220005
Cover 20
PA 6
lagoon



A3220006
Cover 20
PA 6
sky



A3220007
Cover 20
PA 6
mineral



A3220009
Cover 20
PA 6
nero



A3223003
Cover 23
PA 6
coral



A3223004
Cover 23
PA 6
beach



A3223005
Cover 23
PA 6
lagoon



A3223006
Cover 23
PA 6
sky



A3223007
Cover 23
PA 6
mineral



A3223009
Cover 23
PA 6
nero



A3223011
Cover 23
ABS (UL 94 HB)
matt chromed



A3231003
Cover 31
PA 6
coral

COM-KNOBS 通讯旋钮



A3231004
Cover 31
PA 6
beach



A3231005
Cover 31
PA 6
lagoon



A3231006
Cover 31
PA 6
sky



A3231007
Cover 31
PA 6
mineral



A3231009
Cover 31
PA 6
nero



A3231011
Cover 31
ABS (UL 94 HB)
matt chromed



A3240003
Cover 40
PA 6
coral



A3240004
Cover 40
PA 6
beach



A3240005
Cover 40
PA 6
lagoon



A3240006
Cover 40
PA 6
sky



A3240007
Cover 40
PA 6
mineral



A3240009
Cover 40
PA 6
nero



A3240011
Cover 40
ABS (UL 94 HB)
matt chromed



A3240103
Cover 40, with finger grip
PA 6
coral



A3240104
Cover 40, with finger grip
PA 6
beach



A3240105
Cover 40, with finger grip
PA 6
lagoon

COM-KNOBS 通讯旋钮



A3240106
Cover 40, with finger grip
PA 6
sky



A3240107
Cover 40, with finger grip
PA 6
mineral



A3240109
Cover 40, with finger grip
PA 6
nero



A3240111
Cover 40, with finger grip
ABS (UL 94 HB)
matt chromed



A3250003
Cover 50
PA 6
coral



A3250004
Cover 50
PA 6
beach



A3250005
Cover 50
PA 6
lagoon



A3250006
Cover 50
PA 6
sky



A3250007
Cover 50
PA 6
mineral



A3250009
Cover 50
PA 6
nero



A3250103
Cover 50, with finger grip
PA 6
coral



A3250104
Cover 50, with finger grip
PA 6
beach



A3250105
Cover 50, with finger grip
PA 6
lagoon



A3250106
Cover 50, with finger grip
PA 6
sky



A3250107
Cover 50, with finger grip
PA 6
mineral



A3250109
Cover 50, with finger grip
PA 6
nero

COM-KNOBS 通讯旋钮



A3316003
Peak 16
PA 6
coral



A3316004
Peak 16
PA 6
beach



A3316005
Peak 16
PA 6
lagoon



A3316006
Peak 16
PA 6
sky



A3316007
Peak 16
PA 6
mineral



A3316009
Peak 16
PA 6
nero



A3320003
Peak 20 - 50
PA 6
coral



A3320004
Peak 20 - 50
PA 6
beach



A3320005
Peak 20 - 50
PA 6
lagoon



A3320006
Peak 20 - 50
PA 6
sky



A3320007
Peak 20 - 50
PA 6
mineral



A3320009
Peak 20 - 50
PA 6
nero

“螺钉” 附件



A6207009
Round nut M7 x 0.75



A6210009
Round nut M10 x 0.75



A6295009
Round nut 3/8"-32G



A6300000
Spanner

COM-KNOBS 通讯旋钮



A7516000
Nut cover 16, without line
ABS (UL 94 HB)
black RAL 9005



A7516010
Nut cover 16, with line
ABS (UL 94 HB)
black RAL 9005



A7516018
Nut cover 16, with line
ABS (UL 94 HB)
dusty grey RAL 7037



A7616000
Nut cover 16, without line
ABS (UL 94 HB)
black RAL 9005



A7616008
Nut cover 16, without line
ABS (UL 94 HB)
dusty grey RAL 7037


附件



A4416001
Dial 16
PC (UL 94 HB)
transparent



A4416010
Dial 16
PC (UL 94 HB)
transparent



A4416020
Dial 16
PC (UL 94 HB)
transparent




A4416060
Dial 16
PC (UL 94 HB)
transparent



A4420001
Dial 20
PC (UL 94 HB)
transparent



A4420010
Dial 20
PC (UL 94 HB)
transparent



A4420060
Dial 20
PC (UL 94 HB)
transparent




A4423020
Dial 23
PC (UL 94 HB)
transparent

COM-KNOBS 通讯旋钮



A4423039
Dial 23
PC (UL 94 HB)
transparent



A4423060
Dial 23
PC (UL 94 HB)
transparent



A4431010
Dial 31
PC (UL 94 HB)
transparent



A4431060
Dial 31
PC (UL 94 HB)
transparent



A6016019
Stator 16
Aluminium



A6020019
Stator 20
Aluminium



A6023019
Stator 23
Aluminium



A7316000
Disk 16, without line
ABS (UL 94 HB)
black RAL 9005



A7316010
Disk 16, with line
ABS (UL 94 HB)
black RAL 9005



A7323010
Disk 23, with line
ABS (UL 94 HB)
black RAL 9005



A7331000
Disk 31, without line
ABS (UL 94 HB)
black RAL 9005



A7331010
Disk 31, with line
ABS (UL 94 HB)
black RAL 9005



A7340010
Disk 40, with line
ABS (UL 94 HB)
black RAL 9005

保留技术更改可能性。© OKW 机盒系统, Buchen/德国。